

Our very first product was the world's first plastic hose connector – the Hoze-Lock.

Today, we are a global garden equipment manufacturer with our head office in Birmingham, UK. Over 75% of our watering and spraying products are made in Britain and France, with the remaining 25% produced at our overseas factories in the Far East.





05

04

18

19 24

29

52 ↓ 53

**Hose Storage** 



06 12

Hose



**Fittings** 



**Hose End** 



**Automatic Watering** 



**Natural Gardening** 



**Pumps** 



Sprayers



Committed to British manufacturing, we are proud to be a significant employer within the British workforce.

> Hozelock continuously invests in both people and machinery to meet the

> > growing demand from consumers as interest in gardening continues to rise.




At our Birmingham factory, we have recently upgraded our equipment by implementing five Sumitomo Demag injection moulding machines. Among these is an impressive 830-tonne machine, which moulds larger pieces such as side discs for carts and reels - capable of producing over 5,500 discs in a single day.

Additionally, the 280-tonne twin-shot machine efficiently creates the soft-touch casings for our hose end connectors,

with an annual production capacity of over 3 million units! These new machines are not only faster and more reliable but also greener, using less than a third of the energy required by the machines they are replacing.



# New for 2025



# SolarDrip

The go-to solution for effortless plant watering, whether you're on vacation or watering daily.

Perfect for both indoor and outdoor plants, the Hozelock SolarDrip kit ensures responsible, water and energy-efficient irrigation.

# Aquasolo® Universal

Microporous ceramic cones that optimise plant watering by gradually and autonomously diffusing water.

The Hozelock SolarDrip irrigation system is a complete, integrated solution for watering up to 20 potted plants. It includes a drip irrigation kit with a 20-meter hose (4mm in diameter) and 20 drippers, each delivering 2 litres of water per hour. This efficient system ensures water reaches directly to the base of each plant, reducing waste and minimising the risk of plant diseases.

Whether there's a large garden, a balcony filled with flowers, or a terrace packed with pots, this versatile kit adapts to any setup, making plant care easy with minimal effort.

# Solar power and rainwater: the smart way to water responsibly!

Powered by solar energy, these innovative irrigation timers come with a large solar panel, removing the need for electrical connections. This eco-friendly and economical solution is compatible with water from rainwater collectors or water butts, making it an environmentally responsible choice.

The Hozelock SolarDrip timer takes responsible water management further by allowing controlled watering frequency, duration, and volume for each dripper. For effortless plant care: the Hozelock SolarDrip solar irrigation system.



- 100% compatible with 0.5L to 2L bottles thanks to the new universal adapter.
- No screwing system due to the new legislation requiring caps to be attached to plastic bottles (except for 5L bottles).
- 5 models to choose from. Select the model of cone based on the pot size or plant needs.
- Stabiliser for better vertical stability of large-capacity bottles (included in the 3+1 pack or available in the accessories range).



We are excited to share our commitment to increase the eco-friendliness of our products, packaging, and manufacturing processes.

### 70% Recycled Hose

We are proud to announce that our entire knitted hose range, including the popular Ultimate, Ultramax, and Ultraflex hoses, are now crafted from an impressive 70% recycled materials.

This substantial achievement is the result of our dedication to evolving our hose construction and transitioning to recycled VC materials.

In 2022, we took a significant step towards sustainability by producing the knitted hose range with 40% recycled materials. Now, we are taking it even further!

Throughout this transformative journey, our top priority has been to ensure that quality and performance remain uncompromised. Rigorous testing has been conducted to guarantee that every hose maintains the high standard our customers expect from Hozelock.

By implementing this change, we are proud to remove more than 900 tonnes of virgin PVC material from our range, making a positive impact on the environment while providing gardeners with reliable, eco-conscious watering solution.



This new hybrid hose system blends the premium features of our best-selling Auto Reel range with optimum portability, for effortless watering like never before.

### **Auto Reel Mobile**

The practical wheeled design is ideal for gardeners who require an automatic reel, but prefer not to permanently fix the unit in one place.

Simply wheel the Auto Reel Mobile to the desired location and unfold the front leg to anchor it to the ground. Pull out as much hose as is required - the integrated auto-rewind system ensures a smooth, controlled rewind with no kinks or tangles. With a generous 35m hose length and the multi-functional 3-in-1 nozzle, the Auto Reel Mobile tackles any watering

task quickly and easily – leaving

you with more time to enjoy

your garden!



The AquaSave<sup>™</sup> Pro sprinklers features innovative 3D control, avoiding wasted water, increasing coverage, and perhaps most importantly – not getting the user wet.

### **Improved Rectangular Sprinklers**

The AquaSave  $^{\!\scriptscriptstyle\mathsf{TM}}$  Pro XL includes six adjustable jets that can be turned on or off to match the desired

coverage. It also includes a flow control adjustment, allowing the user to stop the water flow while moving the sprinkler around your garden.

With its 3D control, it is easy to manage the width, direction, and range of the sprinkler for maximum flexibility.





# Auto Reel Mobile - the automatic rewind hose system

This new hybrid hose system blends the premium features of our best-selling Auto Reel range with optimum portability, for effortless watering like never before.

# The hose that puts itself away... anywhere.

### Automatic rewind cart with brake system

Pull the hose to easily unwind; the mechanism automatically locks at regular intervals to prevent accidental retraction. The braking mechanism and layering system ensures a smooth, controlled rewind with no kinks or tangles.

### 2 Large wide wheels

Large wide wheels ensure exceptional manoeuvrability and mobility.

### 3 Front kickstand

Unfold the front leg and click into place for stability when watering, then fold away for easy storage.

### 4 Premium kink-resistant hose

The premium 35m hose, including an extra-long 5m of feeder hose, is kink resistant, ensuring your garden is watered with minimal fuss.

### Child lock

Features a child lock to secure the hose for reassurance.

### **6** 3-in-1 Nozzle included

A 3 spray pattern nozzle for all your cleaning and garden tasks, including a fine rose spray for gentle watering of roots and flowers and an improved cone pattern for quick watering of larger beds or vegetables. A jet pattern provides powerful cleaning for garden tools and outdoor furniture.

### Adjustable handle and feeder hose tidy

The adjustable handle with park points keeps the feeder hose and nozzle tidy.

### 8 Accessory storage

The rear basket allows for convenient storage of accessories and garden tools.





- 100-100-488
oduct 35m Auto Reel Mobile

Wheeled automatic hose system

30m + 5m

Pack Quantity
Barcode



Terms and conditions apply. www.hozelock.com/guarante

















### **Auto Reel** - the automatic rewind hose reel



Watering your garden and storing your hose is so easy with Auto Reel.

It smoothly unwinds only the amount of hose that you need.

When you are finished, the automatic rewind system effortlessly stores the hose away, with no kinks or tangles.



### Use all over your garden

The multi direction wall hanger rotates 180° to follow you around the garden or sit neatly against the wall.



### Always ready to go

The built in hose stop prevents the hose fully retracting so it is easily available every time.



### Convenient storage

The hanger on the 2401 and 2403 has storage space for spray guns and accessories to help keep your garden tidy.



### Quick to fit or remove

The wall hanger design and carrying handle mean you can quickly put the Auto Reel on the wall or take it off again.



### Safe and secure

Features a child lock for reassurance and a padlock\* fixing point for security.







2485R0000
100-001-056

10m Auto Reel Wall mounted







2401 0000

20m Auto Reel Wall mounted







# 2403 0000

30m Auto Reel Wall mounted







# 2595R0000

40m Auto Reel • Wall mounted





# Compact Reel Storage - keep your small garden or patio clutter free



# Micro Reel

- Rotating Drum with Handle: Quickly and neatly stores the hose without tangles.
- 'Click & Go' System: The connector snaps onto the tap, the nozzle clips onto the reel, and the handle makes winding and unwinding effortless as you walk.
- Water at Any Length: No need to fully unwind the hose.
- Ideal for Small Gardens: Compact size allows you to keep it close to the tap or store it neatly when not in use
- Ready to Use: Includes hose, fittings, and nozzle.



Pack Quantity












Hose Hanger

- Stores up to 30m of ø19mm hose Park points for connectors and hose end accessories when
- Additional storage space to the front of the hanger














# 2382R0777

**Hose Box** Free standing

> · Enclosed to protect hose Large carry handle to easily move around the garden

Display Include Pack Quantity





# 2392P0000

# Universal Hose Guide

- Guides the hose around a wall or corner of a building

























# Open Reel Storage - tidy storage, fewer kinks and tangles



2410R0000

30m Hose Reel

Free standing



30m Hose Reel

• Free standing





















# 2-in-1 Open Reel Storage - use free standing or wall mounted









45m Assembled


















60m Hose Reel



25m



# Enclosed Reel Storage - added protection for your hose















5	
Pro	
de 2494R000	0

de	2494R0000
P Code	100-001-087

- Free standing reel with easy rewind and automatic hose layering
- Portable with folding carry handle
- Pack Quantity







# Open Cart Storage - easy to move around the garden









60m Hose Cart • Wheeled hose reel









60m Assembled Hose Cart • Accessory storage on handle

30m -



60m Assembled Hose Cart Accessory storage on handle



90m Assembled Hose Cart

• Accessory storage on handle • Large wheels for stability



ode	2437R000
AP Code	100-001-0
oduct	60m Assem Metal Hose

Pack Quantity

Cart • Accessory storage on handle



60m Assembled

Metal Hose Cart · Accessory storage on handle





# Wonderhoze - woven expanding hose



This woven, durable, lightweight hose expands up to x3 its original length, with guaranteed leak-free fittings to give you a water tight









# Superhoze City - perfect for your balcony, terrace or small garden

The Superhoze City bags include all a start-up gardener needs for city life with small outdoor spaces such as balconies, terraces and small gardens.

The versatile and durable bag provided has been inspired to help gardeners with a multitude of tasks such as weeding and pruning through to watering and storage solutions.







# **Superhoze** - the expanding hose

This amazing hose expands up to x3 its original length, with guaranteed leak-free fittings to give you a water tight connection.

### Superhoze

Expands up to x3 its original length and quickly shrinks back to its original size after use.

### **Outdoor Tap Connectors** 21mm G½ (½"BSP)

26mm G¾ (¾"BSP) AquaStop Connectors

Allows you to change your hose end without turning off the tap.

# Adjustable Nozzle

Allows you to adjust from a jet to a fine spray.

MOZETOEK

Superhoze

15m











- 1 Hozelock compatible system
- 2 Quality leak-free connection
- 3 Highly elastic core
- 4 Smooth inner to enhance water flow
- 5 Woven textile outer layer

Phthalate free <0.1%





Superhoze









Superhoze with Hose Hanger **15**m









de	8215A9012	(Const.)	8230A9012	1 town
AP Code	100-003-776	Možnov	100-003-778	MODILOG
oduct	Superhoze 15m DQP	1	Superhoze 30m DQP	
splay Includes	32 x 8215A	1	24 x 8230A	No. of Concession, Name of Street, or other Persons, Name of Street, or ot
ck Quantity	1	E CONTRACT	1	問温
ırcode	5 010646 061254 >		5 010646 061391 >	A SE
14.1200	11.7	<b>《</b> 》 医水痘的	1974.5	S =



# Tuffhoze - advanced hybrid hose technology

Advanced hybrid garden hose, combining the best of two hose technologies.

### Traditional PVC:

- Dura-Tech inner core for incredible flexibility and maximum strength.
- High pressure burst resistance 40+ bar, in conjunction with the outer textile layer.
- Constant, high water flow even at low temperatures.
- Guaranteed length.

### Textile:

- Tuff-Fibre woven technology ensures enhanced durability for long lasting wear.
- Amazingly flexible, effortless to manoeuvre and store.
- Kink free & ultra lightweight.
- UV resistant & easy to clean.










# Compared to traditional hoses:

**✓** Up to 50% lighter

Kink free & easy to manoeuvre

Super tough & durable





2 Durable Flexi-Nut
 Lightweight, flexible anti-fold collar to avoid creases in

the hose and maximise water-flow.

Oura-Tech PVC inner core
For maximum flexibility and strength.



3 Guaranteed leak-free fittings Ensures a water tight connection.



8112A1240 8 100-004-665 1 Tuffhoze 12.5m
















# Watering Hose - durable hose for every garden







# Watering Hose - durable hose for every garden







# Outdoor Tap Connectors - for outdoor threaded taps



Pack Quantity

# 1/2" & 3/4" Outdoor



ø 21mm - G½ (½"BSP) ø 26.5mm - G¾ (¾"BSP)




tap styles



	5 010646 0
Code	2175 6012
Code	100-000-6
•	









1/2" & 3/4" Outdoor

Tap Connector &

**Hose End Connector** 

ø 21mm - G½ (½"BSP)

ø 26.5mm - G¾ (¾"BSP)

· For outdoor threaded taps



# 1" Outdoor

ø 33.3mm - G1 (1"BSP)

# Non Return

### Tap Connector Prevents backflow of contaminated water

ø 21mm - G½ (½"BSP) ø 26.5mm - G¾ (¾"BSP)





















½" & ¾" Outdoor Tap Connector For outdoor threaded taps • Made from Nickel Plated Brass for

durability ø 21mm - G½ (½"BSP) ø 26.5mm - G¾ (¾"BSP)





durability

10



1/2" Outdoor Tap Connector

• Made from Nickel Plated Brass for

For outdoor threaded taps

ø 21mm - G½ (½"BSP)










### 1" Outdoor Tap Connector

- For outdoor threaded taps
- Made from Nickel Plated Brass for durability

ø 33.3mm - G1 (1"BSP) 10



# Indoor Tap Connectors - adapt your indoor tap



# Indoor Threaded

**Tap Connector** • For kitchen tap with aerator head

ø 22mm M22 (Female) Pack Quantity



Indoor Threaded Tap Connector

• For kitchen tap with aerator head

ø 24mm M24 (Male) 10





Mixer Tap Connector • For square, round and oval kitchen

• Comes with a choice of sealing washers

Max. 34mm wide x 43mm

10



# 2274 6012

25





# Outdoor and Indoor Tap Connectors - for round or oval taps





2176P9000

**Round Tap Connector** • Adjustable stainless steel clip for simple fitting

Pack Quantity







# 2177P9000

Round Mixer Tap Connector • Adjustable stainless steel clip for simple fitting

Min. ø 14mm, Max. ø 18mm Min. ø 20mm, Max. ø 24mm









# Multi-Tap Outlets - create multiple outlets from one tap



Pack Quantity







- Creates two outlets from a single tap
- Individual outlet control • Includes 2289 connector for making a 3 way connection

ø 21mm - G½ (½"BSP)

ø 26.5mm - G¾ (¾"BSP)



2252 0000

2-Way Tap Connector • Creates two outlets from

ø 21mm - G½ (½"BSP)

ø 26.5mm - G¾ (¾"BSP)

ø 33.3mm - G1 (1"BSP)

a single tap (adjust flow or switch off)



2250 0000

- · With individual outlet control



- 3-Way Tap Connector Flowmax
- Creates three outlets from a single tap • Additional Flowmax outlet can be positioned to easily dispense water

ø 21mm - G½ (½"BSP)

ø 26.5mm - G¾ (¾"BSP)

ø 33.3mm - G1 (1"BSP)



(adjust flow or switch off)

2150R0000











# **Hose Connectors** - connect your tap to the hose



ø 12.5mm & 15mm Pack Quantity 10



Pack Quantity







**Hose End Connector Pro** • Soft touch for comfort • Flexible tail prevents kinking • Made from zinc alloy for durability

ø 12.5mm & 15mm **Pack Quantity** 





ø 12.5mm & 15mm

2050 6000

2040P0000

10

Hose End Connector Plus Twin Pack

Soft touch for comfort

 Flexible tail prevents kinking ø 12.5mm & 15mm

2050P0025

10 (Twin Pack)

2050 6025

25 (Twin Pack)





2060 6000





# **Connector Sets**



6005R0000

**Hose Connector Set**  Connects hose system to an outdoor tap

Display Include Pack Quantity

HOZELOCK

Watering Starter Set Watering Starter Set DQP

• Nozzle and soft touch connectors for ø 12.5mm & 15mm hose 788000

56 x 100-100-228 10



50

Fittings and Nozzle Grab Bag Nozzle and connectors for ø 12.5mm & 15mm hose



# Not all connectors are made equal, see what makes ours the best







### 1 Water Stop Valve (Aq)

Manufactured from ABS for impact resistance and rigidity. Stops water after removing the watering device.

### 2 Connection Grip

Manufactured from Dupont Delrin® Acetal with a silicone additive for ease of use. Triple connect point for the strongest possible

### **3** Outer Sleeve

Manufactured from ABS for impact resistance and strength with soft touch over-moulding for an enhanced grip.

### 4 Tough Inner Core

Manufactured from Dupont Delrin® Acetal, one of the most crystalline engineering thermoplastics, to bridge the gap between plastics and metals.





### **5** Connection Grip

Polypropylene teeth stay resistant to repeated stress and provide a secure hose

### 6 Hose Tail (Plus and Pro only)

Manufactured from tough, but flexible Polypropylene for α secure hose connection that prevents kinking.

# AquaStop Connectors - switch accessories without wasting water















Code
SAP Code
Product

Pack Quantity

2075 0000

ø 12.5mm & 15mm

2075 6002

AquaStop Connector Soft touch for comfort

2055P0000 AquaStop Connector

Plus • Soft touch for comfort

• Flexible tail prevents kinking

ø 12.5mm & 15mm

2055 6000

Plus

2065P0000

AquaStop Connector

· Soft touch for comfort

Flexible tail prevents

ø 15mm & 19mm

2065 6000

Plus

kinking



AquaStop Connector

· Soft touch for comfort

• Flexible tail prevents

ø 12.5mm & 15mm

• Made from zinc alloy for

kinkina

durability

2035P0000



# 2045P0000

AquaStop Connector

· Soft touch for comfort Flexible tail prevents

kinkina • Made from zinc alloy for durability


ø 15mm & 19mm















Y Connector • Allows three hoses to be joined using 3 hose connectors



¾" Accessory Adaptor • Can be used to turn a female connector into a male connector

ø 26.5mm - G¾ (¾"BSP)



Flat Hose & Spiral Hose Adaptor • Converts the hose end into

ø 26.5mm - G¾ (¾"BSP)




Double Male Connector • Allows two hoses to be joined using two hose

connectors

2291 6012



Connector Pro • Allows two hoses to be joined using two hose connectors





Bulk Code	2293A6002
SAP Code	100-000-760
Pack Quantity	25
Barcode	



















ø 15mm & 19mm

2200A6002

10

Hose Repair Connector Pro For repairing damaged hose • Made from Nickel Plated







ø 16mm & 23mm



Pack Quantity



Inlet Adaptor Hose reel and cart inlet









Hose Repair Connector

• For repairing damaged hose

ø 12.5mm & 15mm





# Jet Spray Guns - ideal for cleaning tasks



Pack Quantity

Spray Patterns

Pack Quantity

Display Includes

### Jet Spray • Lockable on/off trigger and thumb operated flow control



Jet Spray Plus • Lockable variable flow trigger and separate flow control



• Powder coated die cast metal body • Lockable on/off trigger



metal accents • Lockable variable flow trigger and separate flow



• Die cast metal body with soft over moulding







# Multi Spray Guns - perfect for watering your garden



• Lockable on/off trigger and thumb operated flow

2342 9019



Multi Spray Plus • Lockable variable flow trigger and separate flow



• Powder coated die cast Lockable on/off trigger



Multi Spray Pro • Premium guns with durable metal accents • Lockable variable flow









0-001-240






		•		3	
0646 037	600 >	5 010646	037815	5 0106	46 05848
19	2351P	9016	2371 9018	8	2690P60

100-004-561	100-004-564	100-000-812	100-000-847	10
45 x 2342 9019	45 x 2343 9019	40 x 2351 9016	30 x 2371 9018	6 x
5 10106461062497	5 010646 063012	5 10106461056243	5 10106461059169	



# 3-in-1 Nozzle - for quick cleaning















































Adjustable head angle provides convenience for watering plants at different heights
 Lockable variable flow trigger and separate flow control









### 100-001-287 Telescopic Lance Spray Plus 140

# • Long reach telescopic handle – up to 140cm Adjustable head angle provides convenience for watering plants at different heights

Lockable variable flow trigger and separate flow control







# **Nozzle & Gun Spray Patterns**







Fast Fill

Pack Quantity























# Outdoor Shower - hot shower anywhere, naturally and free



### Outdoor Shower

- Lightweight
- Portable
- Temperature adjustable solar shower using the suns energy to heat energy efficent hot showers
- Ideal for rejuvenating after the pool, hot tub, travelling or camping





Outdoor Shower DQP



4 x 100-100-213



# Round Area Sprinklers - for small or larger round gardens



### Round Sprinkler

- 8 jets ensure very even water coverage • Ideal for established plants and turf
- Max. Coverage 177m<sup>2</sup>
- Pack Quantity



### Multi Sprinkler

circle, large semi circle, mist, strip, small circle, large circle, square and remote jet • Ideal for small gardens









• 8 differently shaped spray patterns: small semi

Max. Coverage 79m<sup>2</sup> 10m diameter

### **Round Sprinkler Plus**

- Rotating sprinkler on sled, two spray patterns.
- Fine spray for seeds and seedlings, jet spray for turf and established plants

Max. Coverage 254m<sup>2</sup>







### Pulsating Sprinkler Plus

- Powerful watering for large areas
- $\bullet$  Water a full circle or a part of a circle, from 65° to 360°

Max. Coverage 450m<sup>2</sup>

- Adjustable distance and jet shape, between a jet or wide fan
- Metal spike

24m diameter



Max. Coverage 314m<sup>2</sup>

- Ultra even coverage due to water powered motor and 5 jets

- Metal spike, can water circle or part

### **Round Sprinkler Plus**

- - Metal spike, can water circle or part circle. Fine spray for seeds and seedlings, jet spray for turf and
    - Max. Coverage 314m<sup>2</sup>

### Round Sprinkler Pro Round Sprinkler Pro

- Ultra even coverage due to water • Ultra even coverage due to water powered motor, two spray patterns powered motor, two spray patterns
  - Water circle or part circle. Fine spray for seeds and seedlings, jet spray for turf and established

Max. Coverage 314m<sup>2</sup>



# Rectangular Area Sprinklers - perfect for square or rectangular areas







# Rectangular Sprinkler Plus 220 M Ultra even coverage due

- to water powered motor and 16 jets • Control the area watered with
- adjustable oscillation control • Stop water at the sprinkler.
- Max area coverage 220m²







24 x 100-100-250



5 Plus

Rectangular Sprinkler Plus 250 L

Ultra even coverage due

to water powered motor and 18 jets

• Control the area watered with

adjustable oscillation control



### Rectangular Sprinkler AquaSave Pro 220 M

- Ultra even coverage due to water powered motor
- Adjustable width with 12-16 jets
- Control the area watered with adjustable oscillation control
- Stop water at the sprinkler Maximum area coverage 220m²

Pack Quantity 4





### Rectangular Sprinkler AguaSave Pro 350 XL


- Ultra even coverage due to water powered motor
- Adjustable width with 14-20 jets Control the area watered
- with adjustable oscillation control
- Stop water at the sprinkler
- Maximum area coverage 350m²








# Oscillators with full 3D control



### 1 Flow Control

Fine tune the spray area to make every drop count.

2 Stop Water at the Sprinkler Stay dry when moving or adjusting the sprinkler.



### 3 Adjustable Direction Choose how far to water on each side of the sprinkler.

4 Class Leading Motor Giving larger coverage without moving the sprinkler.

# **5** Adjustable Width (Pro only)

Take control of individual jets and avoid wasted water by changing the width to suit your garden.

6 Metal Spray Bar High precision jets

**HOZELOCK** 

give a more defined spray pattern.







Automatic Watering is a system that takes water from the tap to your plants using a simple network of narrow pipes and outlets hidden in the garden. This can be controlled manually or by an electronic water controller.

If you are looking for a simple system to water your container plants when you are away on holiday, or a sophisticated system to water your entire garden, you'll find that an Automatic Watering system helps you manage your garden much more easily, allowing you to spend more time doing the things you want, rather than the things you have to.

# Why Automatic Watering?

# What are the benefits of Automatic Watering?

### Have some time off

During the summer months your plants need an increased amount of water, requiring daily watering which can sometimes become a bit of a chore.

Automatic Watering systems take this burden away meaning you have more time to do other things.

### Water more efficiently

Automatic Watering systems deliver more controlled watering directly to the roots, reducing water wastage through evaporation or inaccurate watering.

Not only does this save water, it could also save you money on your water bills.

### See your garden bloom

So many plants are affected by both under and over watering, which can potentially kill them or make them more prone to disease.

Regular controlled watering produces stronger, happier and more vibrant plants making your garden look great with less work.

### Get out more

Automatic Watering systems allow you to be away from home with the assurance that your garden continues to be watered.

No more bothering the neighbours and family or coming back to dead plants.



# Universal System - why Easy Drip?





Hozelock Easy Drip is a quick and easy automatic watering system for any garden. Simple to install, the system saves time, water, and effort, whilst improving plant growth.

- Modular kits allow you to easily grow your system
- Simple to build from scratch or add to an existing irrigation
- Easy Drip works seamlessly with all existing systems allowing you to join or extend them together with no fuss.

# Easy Drip System - installing Easy Drip is quick and simple



### 7023 0000

Pack Quantity

### Universal Kit

- Complete watering kit for an area up to 10m<sup>2</sup>
- Perfect for watering borders, beds and vegetable patches
- Multiple kits can be connected together to make a larger system



### 7024 0000

### Micro Kit

- Complete watering kit for up to 15 · Great for watering pot plants and
- hanging baskets
- Multiple kits can be connected to make a larger system

# 7005 0000

### Easy Drip Universal Sprinkler/ Dripper (3 Pack)

- Safe and smooth piercing of the hose for an easy, water tight
- Water flow can be regulated from 0 to 40 LPH
- Each dripper can water up to 100cm in diameter providing extensive coverage
- Supplied with an innovative ground peg for easy positioning and angle selection from 0 to 90°

# 7021 0000

# Flexi Hose

- Micro hose effectively carries water from your tap to individual drippers • Ultra flexible for easy installation
- and cutting UV stable construction providing
- excellent durability and longevity
- Can be buried underground for discreet installation











15m (ø4mm)







# Ready-to-Use Automatic Watering Kits - the simple way to install your system









### 15 Pot Watering Kit

- Water your pots, hanging baskets, borders, veg
- Control how you water your garden from 5 minutes to up to 2 hours to save time, water, and

2210	Mechanical Timer	x1
7022	Pressure Reducer	x1
2772	Micro Tube (4mm)	15m
2777	T-Piece Connectors (4mm)	x14
2778	Straight Connectors (4mm)	x5
2782	Wall Clips (4mm)	x5
7043	Drippers with Stake (4LPH)	x15



### 2803 1240

# 100-001-400

- 20 Pot Watering Kit Automatic watering for patio pots, hanging baskets, borders, veg patches, and greenhouse
- The Select Controller provides the flexibility to adjust watering duration, frequency, and start

2220	Select Controller	Х
7022	Pressure Reducer	Х
2772	Micro Tube (4mm)	1
2777	T-Piece Connectors (4mm)	Х
2778	Straight Connectors (4mm)	Х
2782	4mm Wall Clips (4mm)	Х
7043	Drippers with Stake (4LPH)	х






### 2804 1240

### 100-001-402

### 25 Pot Watering Kit

- Automatically control how you water your garden, saving you time, water, and effort
- The Select Controller provides extensive control and flexibility to adjust watering duration, frequency, and start time

11 cquc	ricy, and start time	
2220	Select Controller	x1
7022	Pressure Reducer	x1
2764	Supply Tube (13mm)	15m
2766	Elbow Connectors (13mm)	x2
2767	T-Piece Connector (13mm)	x1
7031	End Plug (13mm)	x2
2779	Blanking Plugs (13mm)	x10
2770	Stakes (13mm)	x10
2771	Wall Clips (13mm)	x5
2799	Hole Punch	x1
2772	Micro Tube (4mm)	10m
2777	T-Piece Connectors (4mm)	x14
2778	Straight Connectors (4mm)	x10
2782	Wall Clips (4mm)	x5
7043	Drippers with Stake (4LPH)	x15
2785	End of Line Drippers (4LPH)	x10







# **■ 15m** (ø4mm)







# Automatic Watering Hose - water your garden without the effort



### **Dripper Hose**


- Dripper hose with drippers integrated every 30cm
- Combine with micro irrigation fittings to efficienty water flowerbeds
- Water flow rate 4 LPH



	4
THE REAL PROPERTY.	I CONTRA
THE STATE OF THE S	Control of the last
ø13mm	

	p 1311111
Code	7038 0025
SAP Code	100-003-616
Product	Dripper Hose
Size	25m
Pack Quantity	1
Barcode	5 010646 060752 >

7006 0000
100-004-659
Dripper Hose
50m
1
5 010646 063135 >



# Porous Soaker Hose

Ideal for watering borders, vegetable patches, and greenhouses without waste

Seeps water along the full length of hose








761P0000	6762P0000
00-001-917	100-001-922
orous Soaker Hose	Porous Soaker Hose
10m	15m
	<b></b>
	Е









# **Sprinkler Hose**

- Perforated flat hose, produces a fine spray
- Using the fitting supplied, two can be joined together







	6755P0000
le	100-001-908
	Sprinkler Hose
	7.5m
verage	27m²
antity	10
!	5 010646 006880 >





# Build Your Own: A Tap Connection - connect the system to your tap



The tap connection is vital. It connects the watering system to the mains water supply.

There are three different ways to make this connection.

Always use a pressure regulator to control the water pressure to ensure the best performance.

All installations below can be automated by adding a Hozelock Water Contoller.

### **Remote Connection**

To connect to an area that does not reach your tap:

Cut a section of hose.

Add Hose Connectors to each end. Connect the hose and Pressure Regulator (7022) together.

Attach to a tap with a Threaded Tap Connector.

- Hose Page 13-18, 34, 36 & 40 Tap Connectors Page 20-21
- Hose Connectors Page 22-23

# • Controllers - Page 38-39

**Direct Connection** 

connection to the watering

Pressure Regulator (7022)

directly onto your outside

tap or Automatic Water


To make a direct

system, screw the



### Total Flexibility

For the most flexible connection, use a 4-Way Tap Connector (2150) and screw the Pressure Regulator (7022) onto one of the four outlets.











Pressure Regulator (1 Pack)

Reduces tap water pressure to 1,5 bar for optimum performance

Ø 21mm - G1/2 Ø 26,5mm - G¾



# Build Your Own: A Tap Connection - connect the system to your tap



Automate your system by adding an Automatic Watering Controller.

Water even when you're away on holiday.

Automatic Watering Controllers are easy to set up and operate.

Simply attach them to your garden tap, set the timer for when you want the water to come on, for how long, and how often, turn on and forget







Code	2210 0000
SAP Code	100-000-666
Product	Mechanical Controller  • Manually select, timed watering
Watering Schedule	Once a day
Watering Duration	Up to 120 minutes
Inlet Size	ø21mm - G½, ø26,5mm - G¾, ø33,3mm - G1
Pack Quantity	5
Barcode	5 010646 057943

# **Select Plus Controller**

For ultimate control of your automatic watering, the new Select Plus Controller has the flexibility to programme any time, any day, and for any duration. The user may schedule watering with a maximum of three programmes per day.

- The large LCD screen displays all the programme information and can be set up and easily adjusted using the 'Rotate and Push button'.
- Further features include a 'Rain delay' to pause watering as per the weather forecast and a 'Water now' function for immediate watering that will override the schedules for a quick soak of the garden.
- Not sure how to programme your watering? With the Select Controller (2220) you needn't worry, it comes with 16 pre-set programmes to suit you and your garden.







# Build Your Own: A Tap Connection - connect the system to your tap

**Sensor Controller** 










Sunrise and sunset is the best time to water your garden to





# SolarDrip - Solar Automatic Watering Kit

Drip Irrigation Kit with Solar-Powered Autonomous Timer for 20 Pots.

100% Autonomous **Watering Timer** powered by a large solar panel and includes 3 rechargeable batteries

2 13 Preset Programs

3 Manual Watering function of up to 20 minutes

4 "Delayed Watering" Function Options for 1, 3, or 5 days

6 Optimal Watering Control hoose the watering duration, frequency, and the amount of water













# Build Your Own: B Pipeline & Components - carries water around your system



# Build Your Own: B Pipeline - carries water around your system

# **Supply Tube**

- High quality 13mm central supply hose for transporting water around your garden
- Flexible for easy installation and cutting
- UV stable construction providing excellent durability and longevity

o v stable construction providing executive adiability and longevity			
Can be buried underground for discreet installation			
	ø13mm	ø13mm	ø13mm
ode	7007 0000	2764R0000	2764 0050
AP Code	100-004-660	100-001-324	100-003-124
roduct	Supply Tube	Supply Tube	Supply Tube
ze	15m	25m	50m
ack Quantity		5	5
arcode	5 010646 063142 >	5 010646 040181 >	5 010646 060





### Micro Tube

- 4mm Micro Tube effectively carries water from your tap to individual drippers
- Flexible for easy installation and cutting
- UV stable construction providing excellent durability and longevity

8	<ul> <li>Can be bur</li> </ul>	iried underground for discreet installation		
g	ø4mm		ø4mm	
4	Code	2772P0000	2772 0025	
No.	SAP Code	100-001-344	100-003-125	
Ś	Product	Micro Tube	Micro Tube	
8	Size	10m	25m	
ş	Pack Quantity	5	5	
	Barcode	5 010646 040303 >	5 010646 060769 >	


# Build Your Own: B Pipeline Components - ø13mm Hose






### Flow Control Valves (2 Pack)

- Used to control the flow of the water within the 13mm Supply Tube (2764)
- Ideal for isolating zones of an irrigation system and for reducing flow
- UV stabilised for long lasting durability and performance



(5 Pack)



· Operating pressure range

90° Elbow Connectors







- repairs or extend Operating pressure range up to 300 kPa
  - UV stabilised for long lasting durability and performance





### Saddle Clamps (12 Pack)

- Secures 13mm Supply Tube (2764) to fences and walls
- Requires 2 x screws/nails
- UV stabilised for long lasting durability and

**T-Piece Connectors** (12 Pack)

an extra line, or split the

pipe in two directions

UV stabilised for long lasting durability and

up to 300 kPa







Cross Connectors (2 Pack)

• For use with 13mm Supply Tube

(2764) to split the flow of water

• Operating pressure range

• UV stabilised for long lasting

durability and performance

up to 300 kPa








### Ratchet Clamps (12 Pack)

- Ratchet clamps are used to secure fittings to 13mm Supply Tube (2764) to make a tight and secure
- Requires no tool for installation
- Can be twisted and unclamped if reauired
- UV stabilised for long lasting










(2764) in place • UV stabilised for long lasting

durability and performance





up to 300 kPa • UV stabilised for long lasting

durability and performance





# Build Your Own: B Pipeline Components - ø4mm Hose



### T piece Connectors (12 Pack) Used with 4mm Micro Tube

- (2772) to route irrigation system around the garden • Operating pressure range up to 300 kPa
- UV stabilised for long lasting durability and performance "

### Elbow Connectors (12 Pack) Barb joiner for easy

- connection to 4mm Micro Tube (2772) • Directing flow of water around corners and
  - preventing pipe kinking Operating pressure range up to 300 kPa UV stabilised for long

lasting durability and

an irrigation system and for reducing flow UV stabilised for long lasting durability and

(5 Pack)

Flow Control Valves

Used to control the flow of

the water within a 4mm

• Ideal for isolating zones of

Micro Tube (2772)











# Wall Clips 4mm (12 Pack)

Secures 4mm Micro Tube (2772) to wall and fences Comes complete with

# 2778 0012



### **Straight Connectors** (12 Pack)

- Used with 4mm Micro Tube (2772) to make repairs or extend and branching from 13mm Supply Tube (2764)
- Operating pressure range up to 300 kPa
- UV stabilised for long lasting durability and





# 2781 0012

### Peg/Stakes (12 Pack)

- Secures the 4mm Micro Tube (2772)
- UV stabilised for long lasting durability and performance





### Micro Support Stakes (10 Pack)

- Anchors securely into the ground to lift micro sprinklers, sprayers above crops allowing the water to fall from above in a natural rain pattern
- UV stabilised for long lasting durability and performance





### Micro Extension Tube (10 Pack)

- Extend the height of the dripper by 24cm
- Several extension pipes can be screwed together
- UV stabilised for long lasting durability and performance



# Build Your Own: B Pipeline Components - ø13mm & ø4mm Hose



Key Punch (1 Pack)

• UV stabilised for long lasting durability and



















### Reducing T-Connectors (12 Pack)

- Punch holes in 13mm Supply Tube (2764) • Designed to quickly and easily fit 4mm Micro Tube (2772) to 13mm Supply Tube (2764) to • Includes a hex spanner for fitting parts to 4mm allow for branching off to drippers Micro Tube (2772)
  - Operating pressure range up to 300 kPa
  - UV stabilised for long lasting durability and





- $\bullet$  Operating pressure range up to 300 kPa
- UV stabilised for long lasting durability and performance
- Can be used at the end of 4mm Micro Tube



# Build Your Own: C Drippers for precise watering



To prevent leaf scorch and plant diseases. the micro drippers deliver the water at the base of the plant.

Drippers are used at the base of plants to provide very precise watering to the roots perfect for saving water!

They are very versatile and can be used in pots on balconies or to water shrubs in your flowerbed.

Some of the drippers, with an integrated pressure compensating technology, guarantee the water flow rate even for sloping ground.







### **In-Line Pressure** Compensating Dripper (5 Pack)

- Self-regulating dripper that gives a constant 4 LPH, regardless of water
- · Built in filter, automatically self cleans and shuts off when pressure is below

In-line - ø4mm

4 LPH (1.5 bar)



**End-of-Line Pressure** Compensating Dripper (5 Pack)

Self-regulating dripper that gives a constant 4 LPH, regardless of water

In-Line – ø13mm

4 LPH (1.5 bar)

End-of-Line – ø4mm

Built in filter, automatically self cleans and shuts off when pressure is below





Pinch Drip™ Pressure Compensating Dripper (12 Pack)

 Pressure compensating dripper with a turbulent • Maintains a constant and

In-Line - ø13mm

4 LPH (1.5 bar)

End-of-Line – ø4mm

uniform drip rate of 4 LPH



Spikes (5 Pack)

- Pressure compensating dripper with a turbulent flow path - delivering a pre set amount of water at different water pressure
  - Blockages minimised with in-built filter
  - Spike model to anchor dripper at the base of the

In-Line - ø4mm

0 ≒ 40 LPH (1.5 bar)



### **CETA®** In-Line Pressure Astα® End-of-Line Pressure Compensating Compensating Dripper Dripper Spikes (5 Pack)

- Pressure compensating dripper with a turbulent flow path
- Sealed to maintain pre set discharge rates and uniformity
- Blockages min in built filter
- Spike allows easy and precise positioning for accurately targeting the root zone of plants

End-of-Line - ø4mm

4 LPH (1.5 bar)


Asta® End-of-Line Pressure Compensating Dripper Spikes



Flow Rate

Product





Pinch Drip™ Pressure Compensating Dripper (24 Pack)



# Build Your Own: D Sprinklers for larger areas



vegetable Patches Sprinklers deliver a fine spray over a larger area to water multiple plants.

Flower Beds

This can mean a quicker installation and less components to purchase but be sure that the water is being directed as close to each plant's base as possible.

Different spray angles, area coverage, and adjustable flow can allow you to target the water specifically.

Ideal for your flowerbeds, vegetable patches, and hedgerows.



Installation

Watering Angle

Area Coverage

Flow Rate

Pack Quantity

Pack Quantity



### 360° In-Line Adjustable Sprinkler Spikes (12 Pack)

- Flow and coverage adjusted by rotating the cap
- Spike model to anchor dripper at the base of the plant

In-Line – ø4mm

0 ≒ 40 LPH (1.5 bar)

360°

60 cm





360° Adjustable Sprinklers (12 Pack)

• Flow and coverage adjusted by rotating the cap



360° End-of-Line Adjustable Sprinkler Spikes (12 Pack) • Flow and coverage adjusted by

- rotating the cap
- Includes 4mm inlet to connect 4mm Micro Tube (2772) to 13mm Supply Tube (2764)



360° Spectrum® Adjustable Spray (5 Pack)

- Flow and coverage altered by rotating the cap
- Spike model to anchor dripper at the base of the plant
- · Includes 4mm inlet to connect
- 4mm Micro Tube (2772) to 13mm Supply Tube (2764)

End-of-Line – ø4mm	
2600	

60 cm

0 \$\ 40 LPH (1.5 bar)

End-of-Line – ø4mm
360°
350 cm
✓
0 ≒ 80 LPH (1.5 bar)
6





### 2787 0024

In-Line – ø13mm

360°

60 cm

End-of-Line - ø4mm

0 \$\ 40 LPH (1.5 bar)

360° Adjustable Sprinklers





360° Spectrum® Adjustable Spray (12 Pack)



# Build Your Own: D Sprinklers for larger areas



90° Micro Spray Jets

Use with Micro Support

Stake (7029) and Micro

Extension Tube (7030) to

(12 Pack)

elevate sprav

In-Line - ø13mm

68 LPH (1.5 bar)

2793P0000

90° Adjustable

elevate spray

In-Line – ø13mm

End-of-Line - ø4mm

0 

55 LPH (1.5 bar)

Vari-Jets™ (3 Pack)

• Use with Micro Support

Stake (7029) and Micro

Extension Tube (7030) to

• Produces a fine spray

90°

260 cm

Watering Angle

Area Coverage

Adjustable Flov

Pack Quantity

Installation

Watering Angle

Area Coverage

Adjustable Flow

Flow Rate

Pack Quantity

Flow Rate

End-of-Line - ø4mm

2790 0012







180° Micro Spray Jets

• Use with Micro Support

Stake (7029) and Micro

Extension Tube (7030) to

(12 Pack)

elevate sprav

In-Line - ø13mm

68 LPH (1.5 bar)

2794P0000

180° Vari-Jets™

elevate spray

In-Line – ø13mm

180°

10

200 cm

End-of-Line - ø4mn

0 

55 LPH (1.5 bar)

Adjustable (3 Pack)

Use with Micro Support

Stake (7029) and Micro

Extension Tube (7030) to

• Produces a fine spray

180°

460 cm

End-of-Line - ø4mm





360° Micro Spray Jets

Use with Micro Support

Stake (7029) and Micro

Extension Tube (7030) to

(12 Pack)

elevate sprav

In-Line - ø13mm

68 LPH (1.5 bar)

360° Vari-Jets™

elevate spray

In-Line – ø13mm

360°

10

200 cm

End-of-Line - ø4mm

0 ≒ 55 LPH (1.5 bar)

Adjustable (3 Pack)

Use with Micro Support

Stake (7029) and Micro

Extension Tube (7030) to

• Produces a fine spray

360°

700 cm

End-of-Line - ø4mm

2792 0012



(12 Pack)







2797 0012



### Strip Micro Spray Jets 360° Mist Micro Spray Jet (12 Pack)

- Produce α fine jet over α • Produces a fine mist spray
- Use with Micro Support Stake (7029) and Micro narrow strip Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to Extension Tube (7030) to elevate spray elevate spray

In-Line – ø13mm End-of-Line – ø4mm	In-Line – ø13mm End-of-Line – ø4m
2 x 20°	360°
560 cm	90 cm
	-
42 LPH (1.5 bar)	22 LPH (1.5 bar)
6	-

























360° Vari Rotor Spray™

Designed to be adjusted to

alter flow and coverage

distribution uniformity

'C' Frame design for

strenath and high

In-Line – ø13mm

360°

600 cm

End-of-Line - ø4mm

0 ≒ 82 LPH (1.5 bar)

Adjustable sprinkler

(5 Pack)









### Easy Drip Universal Sprinkler (3 Pack)

- Safe and smooth piercing of the hose for an easy, water tight installation
- Supplied with an innovative ground peg for easy positioning and angle selection from 0 to 90°

In-line - ø13mm

360°	
100 cm	
✓	
0 ≒ 40 LPH (1.5 bar)	








# Aquasolo® Universal - watering cones









Aquasolo S

• Easy to use

12

• Sold individually

For pots ø 25cm

• Perfect for holiday watering

• Ceramic watering cones with a universal adapter

• Suitable for watering potted plants indoors or outdoors

 $\bullet$  100% compatible with bottles from 0.5L to 2L



Aquasolo M

For pots ø 30-40cm

12











For pots ø 65cm

# Aquasolo L

- Aquasolo XL • Ceramic watering cones with a universal adapter
- 100% compatible with bottles from 0.5L to 2L
- Perfect for holiday watering
- Ensures your plants are watered for up to 29 days straight, depending on the size of your pot and cone • Ensures your plants are watered for up to 29 days straight, depending on the size of your pot and cone
  - Easy to use
    - Suitable for watering potted plants indoors or outdoors

  - Sold individually
  - For pots ø 45-60cm





# Aquasolo® Universal - watering cones









NEW



NEW

Aquasolo S Aquasolo M

• Set of 4 cones • Includes 1 stabilizer for large-capacity bottles (2L to 5L)

NEW

• 100% compatible with bottles from 0.5L to 2L

Pack Quantity

For pots ø 25cm

Aquasolo L

For pots ø 30-40cm For pots ø 45-60cm

NEW

Aquasolo XL Aquasolo Special

For pots ø 65cm Planter Pot

NEW





# 100-101-275

48 packs of 4 cones = 8 x Aquasolo S - Orange (100-101-068) 24 x Aquαsolo M - Green (100-101-070) 8 x Aquasolo L - Yellow (100-101-072) 8 x Aquasolo Special - Gray (100-101-076)

# NEW

### 100-101-277 72 packs of 4 cones =

12 x Aquasolo S - Orange (100-101-068) 24 x Aquasolo M - Green (100-101-070) 12 x Aquasolo L - Yello (100-101-072) 24 x Aquasolo Special - Gray (100-101-076)

24 packs of 4 cones = 8 x Aquasolo S - Orange (100-101-8 x Aquasolo M - Green (100-101-8 x Aquasolo L - Yellow (100-101-







NEW	
-	
100-101-078	

Stabiliser x4

• Improves stability with large bottles (2L to 5L) for extended autonomy in outdoor use

• Sold in α set of 4 units 12

Pack Quantity

Pack Quantity







# Aquasolo® Outdoor











# Automatic and Eco-Friendly Watering

- Micro-porous terracotta pots for buried watering
- Water savings of over 50% compared to surface watering
- Deep watering for healthy root development
- Water automatically, resulting in time savings on watering











Area Coverage

TRADI ★★★☆☆ Aquasolo Outdoor

Tradi 1,5L

# TRADI ★★★☆☆ Aquasolo Outdoor Tradi 1,5L

 Water level indicator included. No need to open

- Expert 1,5L Water level indicator included. No need to
- open the lid to check if there is water inside Cork lid: durable and minimizes evaporation
- Cylindrical shape: easy to bury

### EXPERT ★★★★★ Aquasolo Outdoor Expert 51

- Water level indicator included. No need to open the lid to check if there is water inside
- Cork lid: durable and minimizes evaporation
- Cylindrical shape: easy to bury and unearth











and unearth

EXPERT ★★★★★

Aquasolo Outdoor

45cm x 45cm

1,5L





80cm x 80cm



# Waterers - stress-free growing for a range of plants







- Growbag Waterer • 4 capillary water spikes deliver
- water from 15 litre reservoir directly
- Integrated water level indicator and quick refill access point
- Base includes three vertical



### Easy Plant 3-in-1

- 4 capillary water spikes deliver water from 15 litre reservoir directly to plant roots
- Integrated water level indicator and quick refill access point
- Base includes three vertical bamboo cane holders





# Replacement Capillary

- Mat Set
- Contains 8 pieces Compatible with





# Bokashi composter - kitchen composter



### How to use it?

- 1 Pour in your food waste
- 2 Pack the waste to eliminate air pockets
- 3 Place 20g of Bokashi activator between each layer of waste and close the lid
- Collect the liquid fertiliser every 3-5 days.

  This juice is used as plant fertiliser, dosage 1/100
- 5 Once the Bokashi has been filled, leave to ferment for 14 days, then empty the contents of the bucket into  $\boldsymbol{\alpha}$ garden compost bin or bury it in the ground

ding on the waste, it may take longer to extract the "juice".









Bokashi Activator

Refill for 100-100-498

• Bokashi Activator is a blend of bran,

These micro-organisms speed up

the process of decomposing waste by causing it to dehydrate

effective micro-organisms

molasses and micro-organisms and

and 100-100-500





### Compost Bucket 3.5L

- Compost bucket for storing kitchen waste before composting
- To avoid opening the Bokashi several times a day, bearing in mind that fermentation must take place without air (anaerobic bacteria)
- To reduce handling and odours and
- For emptying waste into both kitchen and garden compost bins
- Compact, designer 3.5L bin with
- wide opening for easy filling • Easy to clean, dishwasher safe



### Bokashi Composter 15L

- The best way to reduce and recycle your kitchen waste, including fish and meat, without unpleasant
- Provides a rich fermenting liquid that can be used as a fertiliser and a base for making quality compost
- 15L bin with ergonomic lid and hermetic seal to prevent odours
- Telescopic tap for easy juice collection
- Clever system for storing accessories under the lid. always within easy reach
- Dishwasher safe • Supplied with 350g of Bokashi bran





### Bokashi Composter 15L X2

- Set of 2 Bokashi for continuous composting • 1 compost being filled
- 1 maturing compost (once the vat is full, 15 days without opening it to comp fermentation process)
- The best way to reduce and recycle your kitchen waste, including fish and meat, without unpleasant
- Provides a rich fermentation liquid that can be used as a fertiliser and a base for making quality compost
- Supplied with 350g of Bokashi bran





# EasyMix 2-in-1 Composter















Tumbling composter for the easy mixing of home and garden waste.

- 3 times faster than conventional composters: compost ready in just 6 to 8 weeks.
- Roll the drum around your garden to distribute the compost with ease.
- Reservoir collects the compost juice, with integrated "Click & Spray" hose applicator to enrich your garden soil.
- The enclosed lid with lockable lid prevents pests and bad smells.
- Compact design it will easily find a place in the garden, garage, or balcony.
- Manufactured with more than 90% recycled plastic and 100% recyclable.

- 1 Put the waste in the composter and lock the lid.
- 2 Turn the drum to mix the waste and accelerate decomposition for quicker composting.
- 3 The compost is ready after only 6 to 8 weeks of resting. Roll the drum around your garden to distribute the compost.
- 4 Collect your compost juice, a rich liquid plant food, using the tank under the composter.
- **5** Enrich your garden soil by connecting the "Click & Spray" tank to your garden hose.
- 6 Rinse the tank after use.



Code
SAP Code
Product

EasyMix 2-in-1 Composter

# **BioMix** - the eco-friendly solution to take care of your plants



Produce homemade nutrient-rich liquid feed out of plants such as nettles and comfrey.

An efficient way to fertilise your plants and to prevent plant diseases.

The closed tank has a lid and mixing action to ensure that the leaves decompose quickly whilst the pungent smell is contained within the mixer.

Easy to use filter to drain the liquid and integrated tap to recover the fertiliser.

### How to use it?

- 1 Cut 1kg of plants and place them inside the tank.
- 2 Add 10L water.
- 3 Close the lid, and stir thoroughly every 2 days.
- 4 After about 10-15 days, when there are no longer bubbles rising to the surface, the maceration is complete.
- 6 Recover the liquid fertiliser in an opaque drum.
- Dilute your plant fertiliser with water. The dilution is indicated in the usage booklet (between 5% and 20%). Use it with a sprayer or watering can.














# Hozelock Pure - spray your homemade natural recipes





# 4200 0000

### Pure Sprayer

A translucent and graduated bottle for accurate dosing

- 11cm long reach nozzle and high-resistance connectors, resistant to corrosive products
- Equipped with a filter for liquid manures/infusions • 360° function for spraying the underside of leaves





### Pure Sprayer

· A translucent and graduated bottle for accurate dosing

- A fibreglass lance and high-resistance seals, resistant to corrosive products such as vinegar
- Equipped with a filter for liquid manure/infusions





# Electric Thermal Weeders - weed without chemicals







- $\bullet$  Delivers a thermal shock to the weed (up to 600°C)
- Destroys the plant cells and the weed in just a few seconds
- Protective shield for precise and targeted treatment
- Safe and easy-to-use: no chemicals
- Firelighter function for quick and easy lighting of barbeques



# Gas Thermal Weeders - weed without chemicals





The most powerful cordless weeder on the market. Safe weeding, 2x faster, 4x more economical.\*

- Secure weed control thanks to infrared technology: the flame, safely inside the shield, heats the ceramic plate up to 800 °C which will cause a thermal shock to kill the weed.
- Weed large areas with the large 12 x 20cm ceramic plate.
- This product is 2-in-1: it can be used with a gas cartridge and also with a gas bottle.
- Gas cartridge: up to 3 hours. Gas cylinder: up to 122 hours.







# 4177 0000

# 100-004-648

- Green Power Turbo Gas Thermal Weeder
- Ergonomic handle with piezo ignition and ON / OFF valve
- Adapter supplied for connection to a gas cylinder
- Wheel for greater free of movement







# Flood Pumps - empty flooded areas



### 7602 0000

### Flowmax 7500

- A 3 in 1 flood pump (clean water, dirty water, ground level suction) thanks to its reversible base system, which can be changed without the need for tools
- Ready to use pump that comes with a straight connector (for hoses Ø ≥ 25mm) and a 15mm/19mm quick connect turbo coupling
- Adjustable float switch to turn the pump on or to stop it when there is
- Non-return valve included in reversable base to prime the pump easily and to guarantee ground level suction
- 350W max. pumping capacity of 7,500L/hr
   Max. immersion depth of 7m
- Solids up to 30mm Max. extraction height 4.5m










# Water Butt Pumps - use stored water



### 7612 0000



• Submersible for use with spray guns, sprinklers, micro irrigation and hosepipes up to 50m in length

• 300W max. pumping capacity of 2,200L/hr • 1.1 bar pressure





# 2026P8000

# Water Butt Treatment

- A safe non-toxic treat for stored water
- Treats 6400 litres of water









# **Jet Pumps** - move water around your garden



# 7606 0000

# Jet 3000 K7

- A garden pump that comes ready for use with a 7m suction kit, filter, multi-stage connector and a 15mm/19mm quick turbo connector
- Easy to use. Cable storage system, wide carrying handle, easy to prime thanks to its filter cap
   Incredibly durable thanks to its robust plastic case and ceramic connectors
- Overheating protection for motor and hydraulic circuits
- 600W max. pumping capacity of 3,000L/hr
- 3.5 bar pressure



Pack Quantity









# **Trigger Sprayers** - for small tasks in the home or garden















# 4119 0000

### Kaléïdo

- Decorative trigger with 3 different colours: sage green, beige and
- Adjustable conical nozzle from straight spray to mist • 360° function for spraying
- even under leaves • Wide base for greater stability



# Trigger Sprayer 0.8L

### • Decorative trigger with 5 different colours: fir green turmeric yellow, beige, deep

- Adjustable conical nozzle from straight spray to mist



### Pulsar 1L

# • Decorative trigger with

- opening on the translucent tank for easy filling Colours: water blue, ocean
- blue, olive green • 360° function for spraying
- even under leaves • Adjustable conical nozzle
- from straight spray to mist • Ergonomic 3-finger trigger







T2 Evolution



### T1 Evolution

### • 360° function for spraying, even under leaves at night

- 11cm extension wand for fine spray or mist
- Adjustable nozzle for fine spray or mist
- 3 different colours: olive green, terracotta red, grey













Viton

# 4120P0000

- Spraymist Trigger Sprayer Perfect for indoor or balcony watering
- Translucent, graduated bottle
- Nozzle adjustment from jet to mist

# 4121P0000

# Pressure Sprayer

4124 0000

- Translucent gauge to check volume level
- Lockable on/off spraying
- 11cm long reach nozzle
- Nozzle adjustment from jet to mist

# Spraymist

- Pressure Sprayer • Lockable on/off spraying
- Wide opening for an easy

4122P0000

- filling and emptying Anti-theft nozzle
- Easy to pressurise pump
- Adjustable nozzle from jet Nozzle adjustment from jet to mist

• Anti-theft nozzle

Pressure Sprayer

Equipped with Viton

fluoroelastomer seals

for use with agressive

• Lockable on/off spraying

1.25L













# Pressure Sprayers - easy and accurate application for all uses







STA		

4231 0000

Standard 7L

30cm

**PULSAR PLUS** 

PULSAR VITON



4230 0000

Standard 5L

20cm

5L

Lance clip stores equipment

Adjustable Carrying Strap

2-handed pumping handle

Dosing Cap

Adjustable Nozzle (jet to mist)

Multi Nozzle - 3in1 spray patterns

**Pack Quantity** 



4232 0000

Standard 10L

30cm

10L



















4310 0000	4311 0000	4312 0000	5310 0000	5311 0000
100-001-728	100-001-729	100-001-732	100-001-853	100-001-855
Pulsar Plus 5L	Pulsar Plus 7L	Pulsar Plus 12L	Pulsar Viton 5L	Pulsar Viton 7L
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓
1	✓	1	✓	1



<u> </u>		•	•
-	1		-
-	-	-	-
1	1	<b>✓</b>	/

-	•	•	•	•
-	-	-	✓	1
-	-	-	-	-
30cm	40cm	60cm	-	-
-	-	-	40cm + 20cm	40cm + 20cm
5L	7 <sub>L</sub>	12L	5L	7L

5L	7L	12L	5L	7L
6	6	6	6	6
ъ	5	<u></u>	<u></u>	О
010646 062671	010646 062688	0106461062695	010646 062701	010646 062718
~	~	~		~



# Promo

# Pulsar 7 Select

- Adjustable nozzle from jet to fine mist
  - 2-handed pump handle for greater comfort
  - 30 cm aluminium lance
  - Manufactured with anti-theft cable-tie (reduced packaging)

Pressure Sprayers - easy and accurate application for all uses









- Two-handed pump handle for easier pumping • 3 Bar safety valve
- Adjustable carrying straps
- Lance clip for easier storage and nozzle protection
- Handle with integrated filter
- Translucent and graduated tank for reliable dosing
- 1.35m long hose







# **Electric Sprayer**





### 4615 0000

### Electric Sprayer 15L

- 15L tank with translucent graduated marks and shoulder straps
- 3 levels of pressure = 1 bar, 3 bar and one position for high flow
- Duration between 2.5 to 4.5 hours
- Lithium ion battery, easy to fit. Battery charge indicator and quick charging in 4 hours
- Wide opening hole (130 cm) with filter to prevent pump blockages
- Comes with 60cm aluminium lance and compatible with all Hozelock accessories



# **Knapsack Sprayers** - ideal for large gardens





# 4712B0000

- Pulsar Plus Comfort 12L Pulsar Plus Comfort 16L • Maximum comfort: a unique ergonomic design with a curved tank is easy
- to use left-handed or right-handed
- Easy pumping action: the perfect compromise between power and frequency, with an ergonomic handle
- Lockable lever, either in use or in storage
- Comes with a filter, mixer, Multi Nozzle (3in1 spray patterns to suit your treatment) and 60cm aluminium lance
- 1 bar pressure regulator
- Reinforced and adjustable comfort carry straps







# **Sprayer Accessories** - sprayer spares available from www.hozelock.com





• Wide flat fan nozzle 35-95cm for spraying weeding treatments over large areas Narrow fan nozzle 20-60cm for spraying DIY applications more precisely









• A unique, practical and compact nozzle holder with 3 integrated nozzles, for all types of treatment

 $\bullet$  Conical mist nozzle for a good coverage of insecticide or fungicide application on a shrub or bush

	5 010646 062	6207
19120000	4099P0000	

• Compatible with all 8mm lances and easy to take apart to clean

Annual Service Kit -1.5m Hose 1.25L





4103P0000

Spray Nozzle Set



4106P0000

Extension Lance



4126 0000

41 >	5 010646 04967	5 010646 053907

Standard			
5			
5 010646 053976 >			

Trigger Assembly -

4134 0000

4403 0000

Flexible Nozzle

Composite Lance -

4420 0000

2 x 0.60m

Aluminium Lance -

0.60m

4424 0000

Pack Quantity

Multi Jet Nozzle



4404 0000

4409 0000

4421 0000

Adjustable Nozzle

Trigger Assembly -Plus/Pro









T7/Pulsar Service Kit - 5/7/12L

2 Nozzle Treatment Boo			
5			
5 010646 05971	8		

Telescopic Tube - 1m

5	010646 059718 >	



Telescopic Lance -

3.60m

4422 00

Viton Trigger

4405 0000

**Round Cone** 



4406 0000

XL Cone







00	4423 0000
646 059763 >	5 010646 062022

	5	
, ,	5	010646 062053

Weed Nozzle Kit

100 001 703
Telescopic Lance - 2.40m
5

**Complete Lance** 

and Trigger





### https://www.hozelock.com/support/catalogues/

As part of our commitment to continuous product improvement we reserve the right to make design and manufacturing changes which may mean that products supplied differ in certain respects from those illustrated and specified in this catalogue.

Please note that not all products are available in all markets

For spares & accessories information please visit, https://spares.hozelock.com/



Hozelock Ltd. Midpoint Park, Birmingham. B76 1AB. England.

Consumer email: support@hozelock.zendesk.com

Consumer Helpline: 0121 313 1122

Switchboard: 0121 313 4242

www.hozelock.com

900-100-493

