

**DELTA PLUS**

YOUR SAFETY AT WORK

**DELTA PLUS PPE  
& WORKWEAR**

***M&E***  
***SUPPLIES***



[www.deltaplus.co.uk](http://www.deltaplus.co.uk)

## ONYX - ARC FLASH ABS DUAL SHELL SAFETY HELMET

EN397:2012 + A1:2012:  
MM/LD/ -20°C +50°C/440VAC

EN50365:2002:  
CLASS 0

EN166:2001:  
1 AT 8 9 KN / 3 8 9 AT

EN170:2002:  
2C-1.2



GS-ET 29:2011-05  
8-1-0 / CLASS 1 / CLASS 0  
8-1



One-D Rotor ergonomic clamping system  
(One handed adjustment)



Easy locking of the visor  
in two positions



ONYX VIDEO:



## GRANITE WIND - WORKING AT HEIGHT VENTILATED SAFETY HELMET

EN397:2012 + A1:2012  
MM / -20°C +50°C

Available in other  
colours:



Fin's System For Optimised  
ventilation



One-D Rotor clamping system  
(One handed adjustment)



## DIAMOND6 - VENTED ABS HELMET WITH ROTOR ADJUSTMENT

EN397:2012 + A1:2012  
MM/LD/ -30°C +50°C

**USER BENEFITS:**



One handed adjustment with or without gloves

Curved Visor for better field of view at height

Neon colours: for increased visibility

Certified for wearing backwards



## QUARTZ IV - VENTILATED SAFETY HELMET WITH ROTOR ADJUSTMENT

EN397:2012 + A1:2012:  
-30°C +50°C

**USER BENEFITS:**

One handed adjustment with or without gloves

Two possible positions of the headband  
for a better fit

Adjustable ventilation

8 fixing points



## ZIRCON 1 - UN-VENTED SAFETY HELMET WITH MANUAL ADJUSTMENT

EN397:2012 + A1:2012:  
MM/LD/ -10°C +50°C/440VAC



## FORESTIER 3 - FORESTRY HELMET WITH EAR DEFENDERS & VISOR

EN397:2012 + A1:2012  
MM / -10°C +50°C 440 VAC

EN50365:2002:  
CLASS 0

EN1731:2006:  
F

EN352-3:2002:  
SNR 24 dB  
H 27  
M21  
L14  
S/M/L



## AIR COLTAN - IMPACT RESISTANT BASEBALL STYLE BUMP CAP

EN812:2012



### USER BENEFITS:

Easy rear tightening adjustment

Ventilated Mesh Fabric

7 cm peak

## HELMET ACCESSORIES - VISOR HOLDER & VISOR

VISOR HOLDER:  
EN166:2001  
EN1731:2006  
EN170:2002  
GS-ET 29:2011-05



VISOR HOLDER:  
Faceshield Holder for QUARTZ / ZIRCON / DIAMOND  
Range



VISORPC - Pack of 2 Clear Visors

## MAGNY COURS 2 - PREMIUM EAR DEFENDER (SNR 33 dB)

EN352-1:2002  
SNR 33 dB  
H 34  
M 20  
L 13  
S/M/L



Lightweight and robust  
metallic structure

**USER BENEFITS:**

- Air-Room multi-shell attenuation technology
- Padded cushions in synthetic foam
- Universal fixing

## MAGNY HELMET 2 - HELMET MOUNTED EAR DEFENDERS (SNR 30 dB)

EN352-1:2002  
SNR 30 dB  
H 32  
M 28  
L 22  
S/M/L



Lightweight and robust  
metallic fork

**USER BENEFITS:**

- Air-Room multi-shell attenuation technology
- Padded cushions in synthetic foam
- Universal fixing

## SPA 3 - EAR DEFENDER WITH ADJUSTABLE HEADBAND (SNR 23 dB)

EN352-1:2002  
SNR 23 dB  
H 24  
M 20  
L 13  
S/M/L



**USER BENEFITS:**

- ABS Adjustable headband
- Synthetic foam cups
- Low pressure pads

## SUZUKA 2- HELMET MOUNTED EAR DEFENDERS (SNR 24 dB)

EN352-1:2002  
SNR 24 dB  
H 27  
M 21  
L 14  
S/M/L



**USER BENEFITS:**

- Padded cushions in synthetic foam
- Very flexible ABS arms and cups
- Universal fixing



## CONICMOVE01 - REUSABLE EAR PLUGS (SNR 29 dB)

EN352-1:2002  
SNR 29 dB  
H 31  
M 25  
L 23  
Ø 12-17 mm



**USER BENEFITS:**

- Very good performance in use
- Very comfortable round plugs
- Very stable headband

Comfortably Worn Under  
The Chin



## CONICCO200 - BOX OF 200 PAIRS OF FOAM CORDED EARPLUGS (SNR 36 dB)

EN352-1:2002  
SNR 36 dB  
H 34  
M 34  
L 31  
Ø 7-12 mm



**USER BENEFITS:**

- Dispenser box of 200
- Individual plastic bags of 2 earplugs

## CONIC 200 - BOX OF 200 PAIRS OF FOAM EARPLUGS (SNR 36 dB)

EN352-1:2002  
SNR 36 dB  
H 34  
M 34  
L 31  
Ø 7-12 mm



**USER BENEFITS:**

- Dispenser box of 200
- Individual plastic bags of 2 earplugs

Individually wrapped  
plastic bag of 2 earplugs



## CONICDISPLAY - FOAM EARPLUG DISPENSER

EN352-1:2002  
SNR 36 dB  
H 34  
M 34  
L 31  
Ø 7-12 mm



**USER BENEFITS:**

- Includes 500 foam earplugs (SNR 36dB)
- Easy attachment to wall

## PACAYA LYVIZ - PREMIUM SAFETY GLASSES WITH LYVIZ TREATMENT

CLEAR:  
EN166:2001:  
1 FT FT

EN170:2002:  
UV 2C-1.2

SMOKE:  
EN166:2001:  
1 FT FT

EN172:1994:  
UV 5-3.1



Tilting arms



Removable Foam Protection

LyViz treatment :  
Hydrophobic & Oleophobic Coating

Pacaya Lyviz  
Video



## IRAYA - SPORT STYLE SAFETY GLASSES

CLEAR:  
EN166:2001:  
1 FT FT

EN170:2002:  
UV 2C-1.2

SMOKE:  
EN166:2001:  
1 FT FT

EN172:1994:  
UV 5-3.1

AMBER:  
EN166:2001:  
1 FT FT

EN170:2002:  
UV 2C-1.2



Curved eyepiece for extended  
field of view



Extra soft nose bridge

Neck cord included



## MILO - LIGHTWEIGHT & FLEXIBLE SAFETY GLASSES

CLEAR:  
EN166:2001:  
1 FT FT

EN170:2002:  
UV 2C-1.2



### USER BENEFITS:

Ultra light (18 grams)

Very Flexible

Metal Free

Neck cord included



## BRAVA2 - ESSENTIAL SAFETY GLASSES

CLEAR:  
EN166:2001:  
1 FT FT

EN170:2002:  
UV 2C-1.2

SMOKE:  
EN166:2001:  
1 FT FT

EN172:2002:  
UV 5-3.1



### USER BENEFITS:

Integrated polycarbonate  
nose piece

Soft flat spatula type arms

Side Protection



## GALERAS - SAFETY GOGGLES WITH INDIRECT VENTILATION

CLEAR:  
EN166:2001:  
1 BT 34 BT



Wide Tilting Elastic  
Strap for greater  
comfort

**USER BENEFITS:**

- Fits over prescription glasses
- Flexible PVC and nylon frame
- Panoramic screen



## HEKLA2 - OVERSPEC SAFETY GLASSES

CLEAR:  
EN166:2001:  
1 FT FT



**USER BENEFITS:**

- Suitable for all types of prescription glasses
- Integrated polycarbonate nose piece
- Flexible polycarbonate arms
- Side Protection

## MURIA 1 - SAFETY GOGGLES WITH DIRECT VENTILATION

CLEAR:  
EN166:2001:  
1 B B



**USER BENEFITS:**

- Direct ventilation
- Flexible PVC frame
- Textile elastic strap

**STANDARDS**

**EN166:** applies to all types of individual protection of the eye which protects from hazards likely to damage the eye, except for nuclear radiation, x-rays, laser emissions and infrared emitted by low-temperature sources. Does not apply to eye protection for which separate standards exist (anti-laser eye protection, sunglasses for general use, ...).

**EN175:** Specifications for the safety requirements for eye and face protection equipment for welding and related techniques (filters frames/ media).

**EN169:** Specifications of level numbers and requirements relating to the transmittance of filters to protect operators for welding and related techniques. Specification of requirements for welding filters with double number of levels.

**EN170:** Specifications of level numbers and of requirements relating to the transmittance of the filters for protection against ultraviolet radiation.



**EN172:** Specification of level numbers and requirements relating to the transmittance of filters for protection against solar radiation, industrial use.

**EN379:** Specification of the requirements for automatic welding filters, i.e. welding screens with automatic variation of the transmission factor. These screens are intended to protect operators during welding and related techniques.

**EN1731:** Material specifications, design, performance and test methods for eye and face mesh type protective, for professional use.

**ANSI (US American National Standards Institute) Z87.1-2003:** Specifications and minimum general requirements, test methods, selection, use and maintenance of eye and face protection.

**MARKING**



## M6400 JUPITER - REUSEABLE COMFORT HALF MASK

EN140:1998

### USER BENEFITS:

Thermoplastic over moulding (TPE):  
enhanced protection

Comfortable elastic straps

Comes in retail packaging


### M6000 P3 - PACK OF 2 P3 FILTERING CARTRIDGES

EN143:2000+A1:2006:  
P3R



### M600E ABEK1 - PACK OF 2 ABEK1 FILTERING CARTRIDGES

EN14387:2004+A1:2008:  
A1B1E1K1



## M9300 STRAP GALAXY - FULL FACE MASK WITH ADJUSTABLE STRAPS

EN148-1:1999

### USER BENEFITS:

Extra large field of vision (210°)

Compatible with other PPE

Come with a storage bag

EN136:1998: CLASS 3



Precision tightening silicone  
straps


### M6000 P3 - PACK OF 2 P3 FILTERING CARTRIDGES

EN143:2000+A1:2006:  
P3R



### M600E ABEK1 - PACK OF 2 ABEK1 FILTERING CARTRIDGES

EN14387:2004+A1:2008:  
A1B1E1K1



## M1300V2 - BOX OF 10 VALVED FFP3 DISPOSABLE MASKS

EN149:2001+A1:2009

### USER BENEFITS:

EVA edge for extra comfort under nose clip

High performance exhalation valve

Dolomite Tested



**0%**  
LATEX

## M1200V - BOX OF 10 VALVED FFP2 DISPOSABLE MASKS

EN149:2001+A1:2009

### USER BENEFITS:

EVA edge for extra comfort under nose clip

High performance exhalation valve

Dolomite Tested



**0%**  
LATEX

# YOUR SAFETY AT WORK

## VENICUT F01 - CUT F GRITTY NITRILE FOAM GLOVE

EN388:2016  
4 X 4 3 F

SIZES: 8 - 11



### USER BENEFITS:

Increased cuff length to reduce cuts to wrist area (10cm cuff)

Reinforcement between thumb and index finger

Highest cut protection on the market (Cut F)

Excellent grip in oily & wet conditions

## VENICUT58 - CUT D PU COATED GLOVE

EN388:2016  
4 X 4 2 D

SIZES: 8 - 11



3 Pairs Per  
Pack

## VV735 - LATEX FOAM THERMAL GLOVE

EN388:2016  
1132 X

EN511:2006:  
X1 X

SIZES: 9 - 10



### USER BENEFITS:

Excellent grip in dry & wet conditions

Ideal for cold environments

Latex foam coated for  
increased breathability

## THRYM VV736 - WATERPROOF THERMAL GRIP GLOVE

EN388:2016  
2 2 3 1 X

EN511:2006:  
1 2 1

EN407:2004:  
X 2 X X X X

SIZES: 8 - 11



Waterproof to back  
of hand



Ideal in cold environments  
down to -30



100% acrylic liner offering  
excellent thermal protection



## VV636 - FULLY COATED NITRILE GLOVE

EN388:2016  
4 1 3 1 X

SIZES: 8 - 10



Waterproof to back  
of hand



Double nitrile coating  
gives excellent grip in  
wet / oily and greasy  
conditions

## VV734 - TPU/NITRILE GENERAL HANDLING GLOVE

EN388:2016  
4121X

SIZES: 8 - 11



Touch Screen



Anti-slip grip



## VV811 - WATER BASED POLYUREA GLOVE

EN388:2016  
3131X

SIZES: 8 - 11



0%  
SILICONE  
DMF



Non marking  
fingertips

VV811 VIDEO:



## VE723 - NITRILE FOAM GLOVE

EN388:2016  
4121X

SIZES: 8 - 11



Precision touch



## VE733 - SUPREME GRIP LATEX COMFORT GLOVE

EN388:2016  
2141A

EN407:2004:  
X 2 X X X X

SIZES: 8 - 11

VE733 VIDEO:



Waterproof palm



Anti-slip grip



Heat Resistant



## VE722 - NITRILE FOAM GLOVE

EN388:2016  
4121X

SIZES: 8 - 10



Precision touch



## VE702PN - PU GENERAL HANDLING GLOVE

EN388:2016  
3121X

SIZES: 8 - 11



Grey version  
available:  
(VE702GR)

## DS202RP - ESSENTIAL RIGGER GLOVE

EN388:2016  
4 2 2 3 X

SIZES: 10



**USER BENEFITS:**

Reinforcement on palm, thumb, index & cuff

Cowhide split leather

## VE801 - NITRILE REUSABLE GAUNTLET - 33CM

EN388:2016  
3 1 0 1 X

EN374-1:2016  
TYPE B

ISO 18889:2019  
G2 G2

EN374-5:2016

SIZES: 8 - 11



Embossed material on palm and fingertips helps give good grip



**USER BENEFITS:**

Flock lined for absorption of perspiration

Excellent dexterity

Silicone free


## PVC7335 - PVC REUSABLE GAUNTLET - 35CM

EN388:2016  
3 1 2 1 X

EN374-1:2016  
TYPE C

EN374-5:2016

SIZES: 10



**USER BENEFITS:**

Ideal for use with certain chemicals and oily / greasy environments

## DT115 - TYPE 5 / 6 ANTISTATIC COVERALL

EN ISO 13688:2013  
EN ISO 13982-1:2004+A1:2010: 5  
EN13034:2005+A1:2009: 6  
EN1149-5:2018

Sizes: M - XXL



3 Part Hood

**0%**  
SILICONE  
LATEX



Microporous laminate - less chance of lint

## DT215 - TYPE 5 / 6 100% SMS COVERALL


EN ISO 13688:2013  
EN ISO 13982-1:2004+A1:2010: 5  
EN13034:2005+A1:2009: 6  
Non woven 100% SMS 50 g/m<sup>2</sup>.

Sizes: M - XXL



3 Part Hood

**0%**  
SILICONE  
LATEX



100% SMS giving breathability and comfort



## ESKIMO - HIGH LEG FUR-LINED WATERPROOF BOOT

EN ISO 20344:2011

EN ISO 20345:2011:  
SBH P A E FO CI WR  
SRC

Size 5 - 13



COMPOSITE

### USER BENEFITS:

- Resistance to extreme cold and snow down to -30 degrees
- Fully waterproof
- Flexible midsole
- Non-metallic

DELTA-TEX  
WATER PROOF  
by DELTAPLUS

## NOMAD - WATERPROOF FULL GRAIN LEATHER BOOT

EN ISO 20344:2011

EN ISO 20345:2011:  
S3 WR HI CI  
SRC

Size 6 - 13



COMPOSITE

### USER BENEFITS:

- Polyester SNOWTEX filling giving optimum protection from bad weather and harsh environments
- PU external toe cap for added protection
- Fully waterproof

DELTA-TEX  
WATER PROOF  
by DELTAPLUS

## SAMY - WATERPROOF FULL GRAIN LEATHER BOOT

EN ISO 20344:2011

EN ISO 20345:2011:  
S3 WR HI CI  
SRC

Size 3 - 13



### USER BENEFITS:

- Polyester SNOWTEX filling giving optimum protection from bad weather and harsh environments
- PU external toe cap for added protection
- Fully waterproof
- Speed Lacing

DELTA-TEX  
WATER PROOF  
by DELTAPLUS



## TW402 - HEAVY DUTY HIKER STYLE WATER RESISTANT BOOT

EN ISO 20344:2011

EN ISO 20345:2011:  
S3 HRO HI CI  
SRC

Size 6 - 13



**COMPOSITE**



Speed Lacing

### User Benefits:

- Rear heel reinforcement for added support and durability
- Rubber nitrile outsole offering heat resistance
- Panoshock insole for less foot fatigue
- Water resistant boot

## TAKU - EXTREME COLD PROTECTION RIGGER BOOT

EN ISO 20344:2011

EN ISO 20345:2011:

S3 CI

SRC

Size 3 - 13



### USER BENEFITS:

Resistance to extreme cold and snow down to -30° degrees

Composite toe cap protection

Water resistant

Pull up straps

## ATACAMA - BREATHABLE HIGH LEG BOOT

EN ISO 20344:2011

EN ISO 20345:2011:

S3 SRC

Size 3 - 13



### USER BENEFITS:

Air mesh lining for increased breathability

Padded ankle collar for improved comfort

Front bumper for added protection

Water resistant

## GOBI - BREATHABLE BOOT

EN ISO 20344:2011

EN ISO 20345:2011:

S3

SRC

Size 3 - 13



### USER BENEFITS:

Air mesh lining for increased breathability

Padded ankle collar for improved comfort

Front bumper for added protection

Water resistant

**S1**

Toe protection to 200J.

**S1P**

As S1 + penetration resistant midsole.

**S3**

As S1P + Water Resistant treatment to upper.

**SRC SLIP RESISTANT**

All Delta Plus product are SRC Slip Resistant unless stated otherwise

## SAGA - WATER RESISTANT NUBUCK LEATHER BOOT

EN ISO 20344:2011

EN ISO 20345:2011:  
S3 HRO  
SRC

Size 6 - 13



COMPOSITE

### USER BENEFITS:

- Nubuck leather giving extra water resistance
- Rubber nitrile sole offering heat resistance
- Quilted collar and tongue for added comfort
- Non-metallic

## SANTANA - WIDE FITTING WATER RESISTANT BOOT

EN ISO 20344:2011

EN ISO 20345:2011:  
S3 CR SRC

Size 6 - 13



COMPOSITE

### USER BENEFITS:

- Hard wearing dual density outsole
- Panoflex insole to protect foot fatigue
- Front bumper for added protection
- Water resistant



## BRONZE - ESSENTIAL SAFETY WELLINGTON BOOT

EN ISO 20344:2011

EN ISO 20345:2011:  
S5  
SRA

Size 5 - 13



### USER BENEFITS:

- Open sole pattern for easy mud removal
- Reinforced ankle protection
- Wide studs for better grip
- Front reinforced lines
- Ladder compatible
- Rear lug

## BOSTON - LIGHTWEIGHT COMPOSITE TRAINER



EN ISO 20344:2011  
EN ISO 20345:2011:  
S1P HRD  
SRC  
Size 6 - 12



COMPOSITE

**USER BENEFITS:**

- Composite toe cap midsole offering less foot fatigue
- Rubber nitrile outsole offering heat resistance
- Lightweight and comfortable
- Non-metallic



## MIAMI - LIGHTWEIGHT & BREATHABLE SLIP ON SHOE

EN ISO 20344:2011  
EN ISO 20345:2011:  
S1P  
SRC  
Size 2 - 13



**USER BENEFITS:**

- Slip on safety shoe
- Comfortable
- Lightweight
- Very flexible

## BRISTOL - WATER RESISTANT EXECUTIVE SHOE

EN ISO 20344:2011  
EN ISO 20345:2011:  
S3  
SRC  
Size 6 - 13



COMPOSITE

**USER BENEFITS:**

- Quilted collar for extra comfort
- PU mono-density sole unit
- Full grain leather
- Water resistant
- Non-metallic

**S1**  
Toe protection to 200J.

**S1P**  
As S1 + penetration resistant midsole.

**S3**  
As S1P + Water Resistant treatment to upper.

**SRC SLIP RESISTANT**  
All Delta Plus product are SRC Slip Resistant unless stated otherwise

## ELARA 130



**FALL RESTRAINT  
KIT**

## ELARA 190



**SCAFFOLDING  
FALL ARREST KIT**

**ALL KITS COME WITH  
A STORAGE BAG**



## AM002 - SET OF 5 CARABINERS

EN365:2004

EN362:2004  
CLASS B

EN363:2018

EN364:1992



## SELF RETRACTABLE FALL ARRESTER BLOCK

EN365:2004

AN1001T2 - 10M

AN10006T - 6M

EN360:2002  
150 KG

EN363:2018

EN364:1992



Includes:

Fall indicator  
1 Carabiner

## SELF RETRACTABLE FALL ARRESTER BLOCK

EN365:2004

AN13006C - 6M

EN360:2002  
150 KG

EN363:2018

EN364:1992



Includes:

Fall indicator  
1 Carabiner

## AN102 - SELF RETRACTABLE FALL ARRESTER

EN365:2004

EN360:2002  
150 KG

EN363:2018

EN364:1992



Includes:

Energy absorber  
1 Carabiner

## FALL ARRESTER WITH LANYARD

EN355:2002

AN203200CC - 2M

EN365:2004

EN363:2018

EN364:1992



Includes:

Fall indicator  
2 Carabiners

## FALL ARRESTER WITH LANYARD

EN355:2002

AN203200CD - 2M

EN365:2004

EN363:2018

EN364:1992




Includes:

1 Carabiner  
1 Hook

## HEAD TO TOE RETAIL MERCHANDISING AVAILABLE





**DELTAPLUS**  
YOUR SAFETY AT WORK

## Who is Delta Plus?

Delta Plus are a global leading Designer & Manufacturer of PPE and Workwear and are one of the largest PPE manufacturers in the world operating in over 140 countries across the globe.

Thank to their expertise, R&D investment, 15 production sites, global location and product support, Delta Plus is known for its multi-specialised global offer and variety of innovation and affordable products.

***M&E***  
***SUPPLIES***

**M&E SUPPLIES**

**UNIT 566, HILLS IND EST , LUCAN  
CO DUBLIN ,K78K6N7**

**TIERNACH - 0863212915  
ROBERT - 0863760011  
NIALL – 0858035754**

### Above The Neck Protection

- 2.5 Million Helmets
- 4 Million Pieces of Eyewear
- 40 Million Masks



### Hand Protection

- 50 Million Pairs Of Gloves



### Body Protection

- 4 Million Workwear Items
- 3 Million Outdoor Wear Items
- 1 Million Rain Wear Items
- 2.5 Million Non Woven Overalls



### Fall Protection

- 600,000 Harnesses



### Foot Protection

- 4 Million Pairs Of Shoes

