

M&E

SUPPLIES



Traffic Safety

EQUIPMENT

CATALOGUE

For the full range of products please scan the QR Code

www.mesupplies.com



About

We at **M&E Supplies** constantly strive to offer the best choice of quality branded products at competitive prices with service levels to none. As the leading "**ONE STOP SHOP**" for industrial supplies, giving innovative solutions to modern business.

So whether its site surveys, technical help and advice, full e-commerce expertise, full supply chain management, or complete deliveries on time, **M&E Supplies** can provide the answer.

If you would like to know more, contact us now at **01-6283888**.

M&E Supplies specializes in safety equipment and safety products for the workplace. Our prices on, and more, are competitively priced and lower than most safety equipment and safety product suppliers.

We stock brand name safety products in these categories:

Protective Footwear, Hand Protection, Eye, Face, and Head Protection, Prescription Eye wear, Respiratory Products, Hearing Protection and Conservation, Instrumentation, Fall Arrest, Eye & Face Protection, Head Protection, Hearing Products, Respiratory Protection, Instrumentation & Monitors, Confined Space Equipment, Fall Protection, Protective Clothing, Footwear & Accessories, Hand Protection, Ergonomic Products, First Aid Products, Emergency Shower / Eyewash, Skin Care Products, Lockout/Tagout, Storage & Handling, Spill Control, Facilities Safety & Traffic Control and much more.

We're committed to bringing you the widest choice of quality business products at rock bottom prices.

Every day, we check our prices against more than 20 of our competitors to ensure they're amongst the most competitive around... so you don't have to.

We're lowering prices every day!

M&E Supplies has built it's reputation on the quality of it's products and services, which our customers have come to expect. Our aim is to not only maintain this reputation, but to build on it.

Content

Collapsible Cone	04
Collapsible Traffic Cone with Light Orange Base	
Message Cone & Sign	05
Retractable Cone Topper	
Traffic Cone Bar & Chain	06
Assemble Cone Sign	
Bicycle lane delineator	
PU Decorative Bollard Square Base	07
EVA Flexible Bollard	08
SpringBack Sign	
SpringBack Traffic Sign Changeable Sign	09
SpringBack Sign	
SpringBack Sign _ Cycle Lane	10
Expansible Lane Separator System	
Individual Lane Separator System	11
Quick Chain Curb	12
Lane Rumble Curb	
Zebra Lane Separator	
TPU Speed Hump	13
Portable Speed Bump	
Portable Speed Hump	14
Rumble Stripe	
Rumble Bar	15
Tire Killer	
Rubber Speed Cushion	16
Rubber RoundAbout	
Pedestrian Crossing Island	17
Rubber Pedestrian Crossing	
Delineator Panel	18
Plastic Chain Post	19
Caution Tape Delineator Post	
Delineator Post	
Collapsible Delineator Panel	20
Spring Back Delineator Panel	
Barrier Board	
Expandable Barrier	21
Flexible GuardRail for Cycle Lane	
Road Edge Guide Post	22
Flexible Guide Post	
PU Delineator Flag	23
Safety Drum	
Reflective Road Stud	24
Solar Road Stud	
Foldable Stop/Go Paddle	25
Traffic Flag	
Plastic Chain	
Cone Topper LED Light	26
LED Barricade Light	
Caution / Danger / Stripe Tape	
Permanent Marking Tape	
Anti-skid tape	
Wall / Guardrail Reflector	27
Traffic Batton	
Low Profile Threshold Ramp	28
Extensible Threshold Ramp	
Ground Level Container Access Ramps	29
Plastic Threshold Ramps	
Cable Protector Wheelchair Ramp	30
5-Channel ADA Ramp	
Tactile Paving Tile	31
Flexible Wall Protector	
Column Protector	32
Foldable Parking Bollard	
Bike Parking Rack	33
Height Clearance	
No Parking Cone & Sign	34
Preformed Ground Marking	



How to Find Us

Address: Lower Lucan Road, Hills Ind. Est.,
Lucan, Co. Dublin, K78NH02
Ireland

Telephone: +353 (0)1 6283888
Tiernach 0863212915
Robert 0863760011 / Niall 0861234074

Fax: Fax: +353 (0)1 628 2999

Web: www.mesupplies.com
sales@mesupplies.com

Disclaimer

The contents and information contained in this brochure are intended for general marketing purposes only. **M&E Supplies** reserves the right to alter specifications and designs without prior notice. All weights are an approximate figure rounded to the nearest second decimal place.

Collapsible Cone



Light Orange And Heavy Black Base For Your Options!

Collapsible traffic cones are highly visible during the day, even more so at night since they are illuminated from the inside by a battery powered LED light. It could be collapsed so take up very little room in a vehicle when not in use.



Bottom LED Light



Handle Bags for Easy Carry



LED Light Pre-Installed in Bottom



Top LED Light Stored in Base

MODEL NO	DH-RTC-50	DH-RTC-70	DH-RTC-90	DH-RRC-50	DH-RRC-70
HEIGHT	500MM	700MM	900MM	550MM	720MM
BASE WIDTH	250MM	310MM	440MM	300MM	360MM
BASE HEIGHT	36MM	50MM	60MM	50MM	50MM
TOTAL WEIGHT	0.65Kg	1.1Kg	2.0Kg	2.6Kg	3.2Kg
LED LIGHT	Separate			Pre-Installed	

Collapsible Traffic Cone with Light Orange Base



With super reflection at night



3M Rs20 or Rs64 DG Grade for options



50cm and 70cm for options



Collapsible from 70cm to 5cm

Retractable road cone is small in size, easy to operate and carry. The vertebral body is made of waterproof and reflective Oxford cloth. It is flexible and has the advantages of anti-aging, heat resistance, cold resistance, no cracking color and long service life. The base is made of PE material and the body is with a good reflection at night for its reflective bands.

The highest level light fastness is 8.5. -40~70 °C. Softening when used, weather resistance is more than 2 years. It is suitable for temporary separation of traffic flow, guiding traffic, guiding vehicles to pass dangerous sections, and protecting construction site facilities and personnel.

Model	Base size	Max height	Min height	Weight	Material
DH-RRC-70	34.5*34.5CM	71CM	5.5CM	1.2KG	ABS Base+Oxford+Reflex Stripe
DH-RRC-50	29*29CM	51CM	5CM	0.8KG	ABS Base+Oxford+Reflex Stripe



Message Cone & Sign



Print Warning Message Or Advertisement

Light weight, versatile signs are excellent for effective safety communication with employees or customers. Any other text could be custom-made.


MODEL NO	STYPE	WIDTH	HEIGHT	WEIGHT	BODY COLOR	PRINTING COLOR
DH-FS-1	A-Frame	300MM	620MM	0.6Kg	Yellow	Black/Red
DH-FS-2	Square Cone	280MM	670MM	1.1Kg	Yellow	Black/ Red
DH-PE-4	Square Cone	400MM	700MM	2Kg	Black	Yellow /Red
DH-FS-SIGN	Top Sign	260MM	260MM	0.2Kg	Red	Yellow /Black

Retractable Cone Topper



3m And 9m Length For Your Options !

This retractable cone top safety barrier saves you both space and cones. The cone topper extends out to 9m with a 50mm width striped safety band. It features four sided connections for cordoning off a restricted area or building a temporary barrier.



This retractable T-Top Topper is designed to connect with T-Top Delineator Post, It could be extent out to 9m with a 50mm width striped safety band. It features four sided connections for cordoning off a restricted area or building a temporary barrier.

MODEL NO	BAND LENGTH	BAND COLOR	SHELL HEIGHT	SHELL COLOR	BAND BRAKE SYSTEM
DH-TOP-1	3.0Meter	Yellow/Black/Red/White	250MM	Orange/Yellow	NO
DH-TOP-2	9.0Meter	Yellow/Black/Red/White			Included
DH-TOP-3	9.0Meter	Yellow/Black/Red/White			Included

Traffic Cone Bar & Chain



2.5M and 3.6M length for your options !

- Black/yellow or White/Orange stripes for visual intensity.
- Retractable from 1150MM to 2500MM.
- Used in combination with the traffic cones, these cone bars from a temporary barrier. Controlling crowds and warning of road hazards and directing the traffic.



DH-Sign-Lock-3+Panel



MODEL NO	MAX LENGTH	MIN LENGTH	POLE DIAMETER	RING DIAMETER	COLOR
DH-TCB-1R	2500MM	1300MM	35MM	105MM	White/Red/Orange
DH-TCB-1Y	2500MM	1300MM	35MM	105MM	Yellow/Black
DH-TCC-1R	2000MM	No	20MM	105MM	White/Red

Assemble Cone Sign

Assemble Cone / Post Signs

The assemble signs are used to guide traffic or to provide warning of approaching hazards. You can use the signs in any situation where you put the warning sign Sticker simply and safely by warning on the boards.

MODEL NO	DH-SIGN-A1-L1	DH-SIGN-A4-L1
TYPE	Round Board	Square A4 Board
SIGN DIMENSION	20CM Diameter	210mm×297mm
WEIGHT	0.45Kg	0.45Kg
AVAILABLE COLOR	Orange	Orange / White



Bicycle lane delineator



2 Base for Options



Design for Best Elasticity

Black BaseTraffic Posts are made up of PE Body and Recycle PVC Black Base. The two parts interlock as a single inseparable piece, and would not separate even Heavy truck run over them.

- Reboundable from any direction.
- Round Bollard provides 360 degrees of reflectivity.
- Made of durable polypropylene for flexibility and strength.

MODEL NO	SANDARD HEIGHT	BOLLAR DIAMETER	BASE WIDTH	REFLEX TAPE	BEARING CAPACITY
DH-RP-90	900MM	70MM / 50MM	200MM	3x50MM HI Tape	5 Tons Weight at 100km/h Speed
DH-RP-105	1050MM			3x50MM HI Tape	
DH-RP-120	1200MM			4x50MM HI Tape	



What's Difference of 4 SpringBack Post

Model No	DH-RSP-1	DH-RSP-2	DH-RSP-3	DH-IRS
Part	HDPE Post + Round Base + SpringBack Adaptor	HDPE Post + Square Base + SpringBack Adaptor	HDPE Post + SpringBack Base	HDPE Post + Square Base + Spring Adaptor
Assembled				
SpringBase Adaptor				
Base				
Total Height	90 -120CM	90 -120CM	90 -120CM	90 -150CM
Impact Capacity	Below 20Km/H Impacting	Below 20Km/H Impacting	Below 100Km/H Impacting	Below 20Km/H Impacting
Spring Materials	TPU	TPU	TPU	Steel Spring
Post Diameter	70MM	70MM	55MM	60MM
Application	Street Bike Lane	Street Bike Lane	High-Way	High-Way

PU Decorative Bollard Square Base



Anti- Impacting



Assemble Lock Base System

- 1. Made from durable Polyurethane;
- 2. Height could be extended from 65CM to 90CM;
- 3. 8CM and 10CM Diameter for Options ;
- 4. 6 Different Decorative Topper;
- 5. High Impact Resistance and returns to vertical every time after impact;
- 6. Square Base with 4 Screws Holes;

The Above Bollard Height are available in 65CM, 80CM, 95CM, 110CM

Color Black Yellow Orange
 White Green Blue Red

EVA Flexible Bollard



- The Super Flexible Bollard are made of Flexible EVA and designed for road separator & delineator.
- Molded the Scw and Washer in the base together for easily installation.
- High Impact Resistance and returns to vertical every time after impact.
- Top recessed Handle Design for easy spin and fix into the ground.



Screw and Washer Molded Inside



Recessed Handle Topper



Available in White, Green, Yellow, Bulue, Red



DH-FB-75N

MODEL NO	HEIGHT	BASE WIDTH	POST DIAMETER	REFLEX	TOTAL WEIGHT
DH-FB-75N	750MM	200MM	200MM	2x100MM	1.8kg
DH-FB-2	700MM	200MM	200MM	2x100MM	1.8kg

SpringBack Sign



- 1. Combined by Engineering SpringBack System and Plastic Panel ;
- 2. Fixed onto Ground by 4 Expansive Screws;
- 3. Weather resistant to temperature -20- 60°C;
- 4. Provide various Color / Grade Reflective Sheet for options;
- 5. Impact / Crush resistant , recoverd in a second after car crushing below 20Km/H.



SpringBack System



3M reflective sheets for Super vision

Model	Panel Width	Panel Height	Base size	Sign Size	Weight	Bearing Capacity
DH-FB-3	36CM	95CM	20x20CM	23CM Dia	2.6Kg	5Tons at 40KM/H



SpringBack Traffic Sign _ Changeable Sign



Impact resistant, can recover swiftly after rolling over



Springback System

- 1. Combined by Engineering SpringBack System, Plastic Panel and Plastic Sign;
- 2. The Top Sign could be changed by screws & Nut, also could be Square Sign instead of Round Sign.
- 3. Fixed onto Ground by 4 Expansive Screws;
- 4. Weather resistant to temperature -20- 60°C;
- 5. Provide various Color / Grade Reflective Sheet for options;
- 6. Impact / Crush resistant, recovered in a second after car crushing below 20Km/H.

Model	Panel Width	Panel Height	Base size	Sign Size	Weight	Bearing Capacity
DH-FB-4	19CM	110CM	20x20CM	Custom-Made	2.0Kg	5Tons at 40KM/H

SpringBack Sign



- 1. Combined by Engineering SpringBack System and Plastic Panel;
- 2. Fixed onto Ground by 4 Expansive Screws;
- 3. Weather resistant to temperature -20- 60°C;
- 4. Provide various Color / Grade Reflective Sheet for options;
- 5. Impact / Crush resistant, recovered in a second after car crushing below 20Km/H.



SpringBack System



3M reflective sheets for Super vision

Model	Panel Width	Panel Height	Base size	Sign Size	Weight	Bearing Capacity
DH-FB-3	36CM	95CM	20x20CM	23CM Dia	2.6Kg	5Tons at 40KM/H

SpringBack Sign _ Cycle Lane



This Spring Back Combined by Engineering SpringBack System and Plastic Sign for Cycle Lane. In addition, the engineering components at the bottom have high resilience, which will not cause damage to people and vehicles when it is impacted. Large area 3M reflective film, better warning effect at night; smaller base size, suitable for more road scenes; good weather resistance, impact resistance, high temperature and severe cold.




Streamlined design, beautiful appearance




Reserve holes for easy installation

Model	Panel Width	Panel Height	Base size	Sign Size	Weight	Bearing Capacity
DH-FB-5	25CM	75CM	20x20CM	23CM Dia	2.0Kg	5Tons at 40KM/H

Expansible Lane Separator System



SpringBack Panel



PU Flexible Post

Springback Post & Panel For Options!

The Lane Separators Base is manufactured from recycled Rubber, perform a wide variety of uses in traffic management. They can be used to indicate lane separation, cycle lanes, parking bay indication, tramways, marking of traffic lanes in carpark entrance and exit ramps etc.


MODEL NO	RUBBER BASE				RECOVERY SYSTEM				REFLEX
	LENGTH	WIDTH	HEIGHT	WEIGHT	PART	HEIGHT	WIDTH	WEIGHT	
DH-TS-1MTLP	1000MM	275MM	85MM	14kg	HDPE Post	900MM or More	∅ 75MM	1 Kg	3 x 50MM Stripes
DH-TS-1MTLFB1					ABS Panel	750MM	150MM	0.8 Kg	500x130MM HIP Stripes
DH-TS-12M[75P]					TPU Post	750MM	∅ 80MM	0.8 Kg	3 x 50MM Stripes
DH-TS-12M[100P]					TPU Post	1000MM	∅ 80MM	1 Kg	4x 50MM Stripes




What's Difference of 4 System Lane Separator ?

Part	HDPE Post + PU SpringBack Adaptor	ABS Panel + PU SpringBack Adaptor	PU Flexible Post	HDPE Panel + PU SpringBack Adaptor
Assembled				
Separated				
Connector				
SpringBase Adaptor				
Total Height	90 -120CM	75CM	75cm, 90cm or 100CM	73cm or 100CM
Impact Capacity	Below 20Km/H Impacting	Below 20Km/H Impacting	Below 100KM/H Impacting	Below 100KM/H Impacting
Base Materials	Rubber	Rubber	Rubber	PVC + Full Reflection

Individual Lane Separator System




2 Different Posts For Your options



A Most Easy Way Solution To Separate Lanes!

- Can be quickly and easily put in position without tools;
- No collection of water as Channel designed in the bottom;
- 3 Different SpringBack Post & Panel for your options;
- Outstanding road grip by the skid-resistant Rubber Base;
- To be removed from the traffic lane without traces;

Quick Chain Curb



Chain Separator Curb is designed for different shape Curb System, Round, Rectangle, Triangle and any Irregular shape.

MODEL NO	LENGTH	WIDTH	HEIGHT	WEIGHT
DH-TS-10	400MM	145MM	170MM	7.5kg



Lane Rumble Curb



Rubber Lane Rumble is the Quick and Easy way to Create a Centre Median or Separate lanes to ensure motorists comply with the Intended Tavel Way.

MODEL NO	UNIT LENGTH	UNIT WIDTH	UNIT HEIGHT	UNIT WEIGHT	COLOR
DH-TS-11[Y]	1000MM	150MM	50MM	7.0kg	Yellow
DH-TS-11[R]					Red
DH-TS-11[B]					Black

Zebra Lane Separator



3 Heights For Your Options !

- Made of durable rubber material to keep long life span;
- Three Pre-molded bolt holes for fixing into the ground;
- Six pieces of Beads tapes provide high visibility at night;
- Hump shape indicate car and bike back to their lane;
- 5, 9 and 12CM Height For your Options.


MODEL NO	LENGTH	WIDTH	HEIGHT	WEIGHT
DH-TS-14	720MM	120MM	50MM	2.5kg
DH-TS-15	765MM	165MM	90MM	4.2kg
DH-TS-16	820MM	200MM	120MM	10kg



TPU Speed Hump



Cat-Eye Molded



Male And Female Connector

TPU speed humps are made of durable TPU materials that have all the benefits of the stationary speed humps, but can be dismantled part by part and installed by regular screws; Perfect for calming traffic by the anti-slip pattern design. The speed humps weigh less than 2kg each piece, and are easily handled by one person.

MODEL NO	MIDDLE LENGTH	MIDDLE WIDTH	MIDDLE WIDTH	REFLEX CAT-EYE	END LENGTH
DH-PSP-3	500MM	300MM	40MM	4PCS x \varnothing 10MM	135MM
DH-PSP-4	500MM	350MM	50MM	4PCS x \varnothing 10MM	135MM

Portable Speed Bump



MODEL NO	MAX LENGTH	FOLD LENGTH	WIDTH	HEIGHT	WEIGHT	MATERIALS	BAGSIZE	BEARING CAPACITY
DH-PSP-1	3Meter	360MM	250MM	25MM	12kg	TPU	360x250x310MM	20Tone
DH-NCCR-1	3Meter	500MM	300MM	40MM	16kg	TPU	500x400x300MM	20Tone
DH-NCCR-2	3Meter	500MM	350MM	50MM	18kg	TPU	500x500x350MM	20Tone



Eastsea Portable Speed Bumps are made from durable PU materials that have all the benefits of stationary Speed Bump, but can be folded up and moved from location to location in seconds. Perfect for calming traffic during certain hours of the day, such as immediately before and after school, Eastsea portable, foldable Speed Bump weigh less than 12kg and are easily handled by one person.


Portable Speed Hump



Oxford Bag



Rubber Underlay



DH-PSP-2



DH-PSP-2B

Anti-slip Mat In The Back

The highly visible system is designed for temporary speed control applications, where it is desired to slow traffic speeds to 40km/hr. The secret behind the success of the system is its unique 'waffle-style' rubber underlay, which maximises adhesion to the road surface as vehicles traverse..It has been designed for use around highway work zones to assist in reducing speeds and therefore creating a safer work environment for road workers.




Fabric Reinforced Rubber Pad



Steel Rod Connector with Max Strength

MODEL NO	MAX LENGTH	FOLD LENGTH	WIDTH	HEIGHT	WEIGHT	MATERIALS	BAGSIZE	BEARING CAPACITY
DH-PSP-2	3000MM	540MM	250MM	50MM	13kg	PP	∅ 540MM x 250MM	10Tone
DH-PSP-2B	3000MM	530MM	250MM	40MM	13kg	PP	∅ 540MM x 250MM	10Tone


Rumble Stripe



DH-PSP-2B



Anti-Slip Pattern



Reflex Glass Beads

A durable and versatile Polyurethane rumble stripe for use as a speed moderator or lane divider on roadways. Ideal in residential complexes to slow the flow of vehicles. Alternatively, it can be used as a wall mounted bump protector. Can be installed with appropriate masonry fixings or glued using a suitable adhesive.

MODEL NO	LENGTH	WIDTH	HEIGHT	INSTALLATION
DH-RM-2	1200MM	250MM	25MM	4xM10 Screws
DH-SP-3	330MM	100MM	15MM	4xM6 Screws



Rumble Bar



Three different sizes



Cat-Eye Reflector




Easy to install

Rumble Bars are made of ABS material and widely used on the road to lower the speed or a road direction guide.

- 1. There are cat eyes on the both sides and easy to see them at night
- 2. Three different sizes for your choice
- 3. ABS material can be supported about 20 tons
- 4. Easy to install

MODEL NO	LENGTH	WIDTH	HEIGHT	REFLECTOR	SHELL MATERIALS
DH-NRS-1	100MM	100MM	20MM	3PCS Cat-Eye Each Side	ABS
DH-NRS-2	220MM	120MM	25MM	6PCS Cat-Eye Each Side	ABS
DH-NRS-3	300MM	170MM	50MM	6PCS Cat-Eye Each Side	ABS

Tire Killer



Steel

Rubber


The tire killer is often used in some strict traffic control area, where need to be blocked and controlled the vehicle enter or exit. Such as government location, police station, military base and some important parking areas.

Rubber Tire Killer is Available Now!
Molded Steel Plate Inner with Max Strength!


- Yellow EPDM Rubber Moled with Logest Life;
- Glass Bead Provide max visibility at Night;

MODEL NO	PART	LENGTH	WIDTH	HEIGHT	WEIGHT
DH-SP-TK-1M	Middle	1000MM	385MM	50MM	21Kg
DH-SP-TK-1EM	Male End Cap	270MM	385MM	50MM	1.6Kg
DH-SP-TK-2M	Middle	500MM	400MM	75MM	18Kg
DH-SP-TK-2E	End	200MM	400MM	75MM	5Kg

Rubber Speed Cushion



France Style with Arrow Shape Reflector



Belgium Style with White Rubber Frame



Installation Accessories



Wooden Case Packages

Rubber Speed Cushions are made of recycled rubber tires. Rubber is lighter and easier to work with than asphalt and concrete, significantly minimizing the number of hours that need to be invested to install the solutions. Embedded reflective material increases visibility and safety, day or night.



Anti Skidding Design




Friction Coefficient > 0.45


MODEL NO	STANDARD	TOTAL LENGTH	TOTAL WIDTH	HEIGHT	TOTAL WEIGHT	PART	DIMENSION	WEIGHT
DH-SP-4	France	300MM	180MM	65MM	300Kg	Left End	1000x900x65MM	50kg
DH-SP-4G	Belgium					Middle	1000x900x65MM	50kg
DH-SP-4U	UK					Right End	1000x900x65MM	50kg

Rubber RoundAbout


Rubber roundabout in 8 parts diametre 3M or 2.4M, manufactured with glassbead tape and 8 Reflective eyecats which allow an excellent visibility. It is made in accordance to the regulations. It will help you to build a secure roundabout in less than 2 hours. Made from vulcanized virgin rubber and supplied with fixations, caps and Bone Connector.



3M Diamater Part



2.4M Diamater Part



Friction Coefficient > 0.45



Wooden Case Package



Bone Connector




Cat-Eye



Reflective Beads Tape



Installation Accessories:



MODEL NO	DH-RSP-3.0M	DH-RSP-2.4M
	COMPLETE SET	
DIMENSION	3.0 M Dia	2.4 M Dia
HEIGHT	10CM	10CM
TOTAL WEIGHT	400Kg	300Kg



Pedestrian Crossing Island



Checked Crossing Island

Diamond Crossing Island

While Pedestrian safety islands may be used on both wide and narrow streets, they are generally applied at locations where speeds and volumes make crossings prohibitive, or where three or more lanes of traffic make pedestrians feel exposed or unsafe in the intersection.

- Completely made of vulcanized rubber movable modular parts.
- The upper surface has particular not slippery surface raised stud.
- Fixed to the ground by expansion screws and Bone Connector.
- The particular size of the modular parts may be used to meet any road.
- High-Intensity Reflective Pedestrian Crossing Sign Provide Better Night Visibility.



Anti-Slip Pattern

Individual Parts specification

MODEL NO	PART	LENGTH	WIDTH	HEIGHT	REFLEX
DH-PCI-M	Middle	500MM	500MM	75MM	No
DH-PCI-E	Side Cap				Beads Tape
DH-PCI-R	Corner				Beads Tape

Rubber Pedestrian Crossing



Traditional Style Zebra Stripes Crossing

Checked Crossing

Diamond Crossing

- Completely made of vulcanized rubber movable modular parts.
- The upper surface has particular skidproof surface raised stud.
- Fixed to the ground by expansion screws and Bone Connector.
- The particular size of the modular parts can be used in all road size.
- High-Intensity Reflective Pedestrian Crossing Sign Better Night Visibility.

STANDARD MODEL	LENGTH	WIDTH	HEIGHT	PARTS	ACCESSORIES
DH-PC[6X3]	6.0Meter	3.0Meter	75MM	20 x Black Middle 20 x White Middle 28 x End Cap 4 x Corner Piece	126x" Connector 284x Screws Caps
DH-PC[7X4]	7.0Meter	4.0Meter		36 x Black Middle 36 x White Middle 36 x End Cap 36 x Corner Piece	202x" Connector 444x Screws Caps

Delineator Panel



MODEL NO	HEIGHT	PANEL WIDTH	PANEL WEIGHT	PANEL MATERIALS	BASE WIDTH	BASE WEIGHT	MATERIALS
DH-VB-1	1150MM	250MM	2.0 Kg	HDPE	570x460MM	9.0 Kg	Recycle Rubber
DH-VB-2			2.0 Kg	HDPE	800x400MM	20.0 Kg	
DH-VB-3			2.0 Kg	PP	670x380MM	14.0 Kg	
DH-VB-4			2.0 Kg	PVC	540x470MM	12.0 Kg	
DH-VB-5	1150MM	250MM	2.0 Kg	HDPE	800x400MM	20.0 Kg	
DH-VB-6	1320MM	290MM	2.5 Kg	HDPE	800x400MM	20.0 Kg	

Use reflective Delineator Panels to mark the edges of roads and driveways and choose Engineer Grade reflective aluminum for standard 500' visibility or High Intensity reflective aluminum for 1000' visibility and added safety. The manifold anti-slide system on the bottom of each unit ensures an excellent laying stability on the road surface. It can be easily exchanged after abrasion.

Delineator Panel



Top Design for Holding Light



Fit 60x60MM Holes

Delineator panel system is made of plastic panel and heavy rubber base. Easy to install and uninstall panel and base. Anti-skid Heavy duty base provides good stability, load capacity while something hit panel and base.

3 Different Panel for your options

Panel				
Model No	Height	Width	Thickness	Weight
DH-VB-5	105CM	25CM	3CM	2.0CM
DH-VB-6	130CM	29CM	5CM	2.5CM
DH-VB-7	130CM	29CM	5CM	2.5CM


Base				
Model No	Length	Width	Thickness	Weight
DH-VB-Base-2	80CM	40CM	10CM	12KG
DH-VB-Base-7	53CM	29CM	8CM	9KG
DH-VB-Base-8	60CM	40CM	15CM	25KG



Plastic Chain Post



Caution Tape Delineator Post



- Highly visible posts and chains supported by heavy duty bases to create complete barriers;
- Ideal to manage crowd flow, cordon off a work area or restrict access to unauthorised persons;
- Suitable for use in warehouses, factories, hospitals, colleges, receptions, offices and events;
- Posts are fitted with chain support cap which easily allows the chain to be attached;

MODEL NO	HEIGHT	BOLLARD DIA	BOLLARD WEIGHT	BOLLARD MATERIALS	BASE WIDTH	BASE WEIGHT	BASE MATERIALS	REFLEX HEIGHT
DH-PGC-1	880MM	40MM	0.75kg	LDPE	350MM	6.0kg	Recycle	No
DH-GC-13	1300MM	100MM	0.75kg		350MM	6.0kg	Rubber	3x5CM HI Tape

Delineator Post



3 Different Post and Base for your options

Model No	Height	Diameter	Topper	Weight
DH-GC-1	105CM	10CM	T-Top	0.75Kg
DH-GC-2	105CM	10CM	T-Top	0.75Kg
DH-GC-9	105CM	10CM	Reflex Handle	0.75Kg
DH-GC-10	105CM	10CM	T-Top	0.75Kg
DH-GC-11	105CM	10CM	Round	0.75Kg
DH-GC-12	105CM	10CM	Looper	0.75Kg
DH-GC-14	105CM	10CM	π Topper	0.75Kg



- Convenient T-top carry handle and molded in bolt hole for flashing light;
- Improved recesses create a deeper area for reflective bands;
- Stronger ribs provide maximum band protection.

Collapsible Delineator Panel

- Top section made of Injection high impact plastic (PP)
- Carrying handles at base and panel
- Recessed sheeting panel
- Sturdy body; no bending in strong winds
- Base with anti-skid system



MODEL NO	RUBBER BASE				RECOVERY SYSTEM				REFLEX
	LENGTH	WIDTH	HEIGHT	WEIGHT	PART	HEIGHT	WIDTH	WEIGHT	
DH-TS-5CB1	350MM	320MM	100MM	5kg	Panel	750MM	150MM	0.8 Kg	500x130MM HIP Tape
DH-TS-4CB2	600MM	320MM	100MM	12kg	Panel	910MM	250MM	1.0 Kg	750x250MM HIP Tape

Spring Back Delineator Panel

- Made Up of Rubber Base , TPU SpringBack Foot Collapsible Hinge System and ABS Delineator Panel !
- Double Side High Intensity High Intensity Prismatic Tape !
- Handle Hole Design for Easy Move for Temporary Application.
- The ABS Delineator Panel could be Assembled without specific Hardware.



MODEL NO	RUBBER BASE				RECOVERY SYSTEM				REFLEX
	LENGTH	WIDTH	HEIGHT	WEIGHT	PART	HEIGHT	WIDTH	WEIGHT	
DH-TS-5LFB1	350MM	320MM	100MM	5kg	Panel	750MM	150MM	0.8 Kg	500x130MM HIP Tape
DH-TS-4LFB2	600MM	320MM	100MM	12kg	Panel	910MM	250MM	1.0 Kg	750x250MM HIP Tape

Barrier Board



DH-BB-1




DH-BB-3

The Barrier board system is ideal for construction sites and outdoor applications where a tough and durable barrier system is required. The ABS plastic board is supported by powdercoated steel or Injection legs.

MODEL NO	TOTAL HEIGHT	TOTAL LENGTH	BOARD WEIGHT	BOARD MATERIALS	BASE WIDTH	BASE WEIGHT	MATERIALS	REFLECTOR
DH-BB-1	1000MM	2500MM	2.5Kg	ABS	500MM	5.0Kg	Steel	Double Side 15cm Width Engineer Grade or High-Intensity Tape
DH-BB-3						4.0Kg	Plastic	



Expandable Barrier



Pins for Locking 2 sides

Male Connector

Female Connector



10Kg Water Fillable

Easy Carry to Move



Pins for locking 2 Side



Made of Durable Injection PP, this easy to handle barrier is an ideal safety or traffic control unit. It is durable, maintenance free, temperature resistant, and will not damage or scratch floors. This barricade can link together with other like units for additional security. Some minor assembly is required.

MODEL NO	TOTAL HEIGHT	CLOSED LENGTH	OPEN LENGTH	BASE WIDTH	WEIGHT	COLOR	MATERIALS	REFLEX	WHEEL
DH-EB-1	950MM	450MM	3.5Meter	420MM	7.0Kg	YellowBlack	Injection PP	No	4Pcs x 5CM
DH-EB-3N	1050MM	220MM	2.3Meter	475MM	7.0Kg	Red Only	Blowing HDPE	White Stripes	No

Flexible GuardRail for Cycle Lane



Flexible guardrail is a special protection system that can resist the Impaction & Crushing of 5Tons Truck at 40Km/H. It is made of Flexible TPU materials and save the maintenance costs.

Features:

- 1. Effectively reduce injury for Bicycle Driver;
- 2. Bright 3M Yellow Stripe and black has a good warning effect;
- 3. Durable and high quality guarantee;
- 4. Length, corner can be customized according to actual needs.

Made of Flexible TPU and 3M HIP Tape

Made of ABS with 3M Yellow Stripe or Yellow No-Reflex Stripe

Model No	Length	Height	Bollad Wdith	Base Width	Yellow Stripe	Bearing Capacity
DH-FPR-Post-1	200CM	95CM	10CM	26x23CM	3M Yellow Stripe	5Tons at 40KM/H
DH-FPR-Post-2					Yellow No-Reflex Stripe	

Road Edge Guide Post



DH-DE-8

DH-DE-11

DH-DE-9

DH-DE-10


DH-DE-13



These Fully Flexible guideposts are designed to prevent maintenance requirements and put an end to the rising costs associated with maintenance on guideposts. They can be driven over hundreds of times and will return upright, unbreakable components are visible above the surface, making them almost impossible to damage.

MODEL NO	SHAPE	HEIGHT	WIDTH	REFLECTOR	WEIGHT
DH-DE-8	Triangle	1250MM	120MM	2PCS x 180x46MM	1.4Kg
DH-DE-9	C-Shape	1100MM	105MM	1PCS x 180x46MM	0.6Kg
DH-DE-10	C-Shape	1200MM	120MM	2PCS x 140x40MM	1.2Kg
DH-DE-11	Triangle	1500MM	115MM	2PCS x 140x40MM	1.1Kg
DH-DE-13	C-Shape	1000MM	95MM	1PCS x 350x40MM	0.8Kg

Flexible Guide Post



3M HIP Tape meet All standard

Compared with the traditional PVC material contour mark, we use PE material blow molding process, which will not break after impact and Crushing, and can rebound quickly without affecting normal use;

Two types of bases are available. The iron fixings can be buried in the ground, which is easy to install and use; The Molded Plastic base is fixed with special glue, which is suitable for Concrete ground;


Model No	Height	Width	Thickness	Base Style	Base Size	Reflex	Bearing Capacity
DH-DE-19A	110CM	11CM	32MM	Dig-In Steel	33CM Depth x 5Cm Width	3M HIP	20Tons at 100Km/H
DH-DE-19B				Surface Mount	16CM x 11CM		



Surface Mount and Iron-Fixing 2 Options



PU Delineator Flag



It's a new type of lane markings developed basing on the Curved Road to Improve Marking Line Visibility . They are made of high-strength TPU. It can effectively stop the dangerous line-changing behavior, and has good flexibility, and it will not be damaged by heavy Truck impacting & Crushing.

Reflective Glass Beads on 2 Sides

Model No	Base Size	Height	Weight	Glass Beads	Material	Reflective Film	Bearing Capacity
DH-305	115x180MM	280MM	0.5KG	6 Beads	PU	3M reflective film	20Tons at 100Km/H

Safety Drum



**Mini Drum
75CM Height**

**US Standard Drum
105CM Height**

**Unbrakable
Drum Body**

**12Kg Recycle
Rubber Base**

- Durable, blow perfect mould wiht excellent safety design.
- HDPE material makes it can stand and withstand high impact from other objects.
- High quality relfective tape provides nice visibility at dark night.
- Top handle makes it easy to carry around. Both sides with holes for fixing warning light.

MODEL	HEIGHT	Durm Weight	Base Weight	Base Width	Durm Dia
DH-SWB-4	1050MM	4Kg	9Kg	65CM	55MM
DH-SWB-8	750MM	2.5Kg	2.5Kg	45CM	35MM

Reflective Road Stud


The road stud widely used on road as a speed hump or a road direction guidance. Helping people or vehicles stay vigilant while at night.



Cat-Eye Reflector



PC Prismatic Reflector



43 Glass Beads Reflector



MODEL	LENGTH	WIDTH	HEIGHT	REFLECTOR	SHELL MATERIALS
DH-NRS-1	100MM	100MM	20MM	Cat Eyes	ABS
DH-NRS-2	220MM	120MM	25MM	Cat Eyes	ABS
DH-RS-1	100MM	100MM	20MM	PC Prism	ABS
DH-RS-2			50MM	PC Prism	Aluminum
DH-RS-3			20MM	43 Glass Bead	ABS
DH-RS-4			50MM	43 Glass Bead	Aluminum

Non-Reflective Road Stud



MODEL NO	DH-CRS-4	DH-CRS-6	DH-CRS-8
DIAMETER	100MM	150MM	200MM
HEIGHT	10MM	20MM	70MM
REFLECTOR	NO	NO	NO
WEIGHT	0.3Kg	1.5Kg	2.8Kg
COLOR	Yellow/White		

Temporary Road Marking



MODEL NO	DH-TRM-1	DH-TRM-2	DH-TRM-3
LENGTH	100MM		
WIDTH	50MM		
HEIGHT	25MM		
WEIGHT	0.1Kg		
COLOR	Yellow-Yellow	White-White	White-Red

Solar Road Stud



DH-RS-11



DH-RS-5



DH-RS-9



DH-RS-27



DH-RS-10

Solar road studs are flashing solar cell powered LED maintenance-free lighting devices used in road construction to delineate road edges and centrelines. The intense brightness of the LEDs makes them easily visible at distances of about 800 under favourable conditions.

MODEL NO	MATERIALS OF SHELL	LENGTH	WIDTH	HEIGHT	DRIVE MODEL	LED QTY	LIGHT MODEL	SOLAR PANEL	WATERPROOF GRADE	LIFE	VISUAL DISTANCE	WORKING TIME	SCREW HOLE	WEIGHT	LOAD CAPACITY
DH-RS-5	Aluminum	115MM	100MM	22MM	1.2V NI-MH Battery	6	Flash/ Steady	3V 90mA	Ip>67	>5 Years	Over 800M	60 Hours	8MM x 2	400G	20Tons
DH-RS-9	Aluminum	105MM	125MM	75MM						>5 Years				500G	20Tons
DH-RS-10	PC	110MM	87MM	24MM						>3 Years				200G	10Tons
DH-RS-11	Aluminum	100MM	110MM	23MM						>5 Years				300G	20Tons
DH-RS-27	PC	116MM	116MM	21MM						>3 Years				200G	10Tons



High Quality Reflector



Reduce The Impact



Better Adhesive




Foldable Stop / Go Paddle



Features:

- Fully collapsible design (carry case included as standard).
- 450mm or 600mm diameter face
- Ergonomic handle underneath face.
- Solid aluminium sign face,
- Edge protection to prevent damage if dropped.
- Rubber boot on the end to help it stay put when resting.
- Scratch resistant faces.
- Collapsible design and carry case included as standard.
- Packed by Fabric Handle Bag;




Various styles

Packed by Fabric Handle Bag

Fully collapsible design

MODEL NO	LENGTH	WIDTH	HEIGHT	DIAMETER
DH-NSSP-1	38MM	38MM	202MM	450MM
DH-NSSP-2	38MM	38MM	225MM	600MM

Traffic Flag



Handle Flag

Flame and weather resistant;
Dimension: 18" x 24";
Made of PVC Fabric;
Hold with Long Wood Staff;



Trailer Long Loaded Flag

Flag size: 280 x 280mm
Ring size: Ø150mm
unstretched Hi-Vis Orange
PVC Material,
Elastic Shock Cord Ring!




Bunting Line

Flags are Made of Fluorescent Orange Plastic;
45pcs 26x18cm flag each line;
30meter lenth Nylon Rope;
Warning on construction site;

Plastic Chain

Normally supplied in lengths of 50metres. Two colour chains have alternate colours approximately every 40cm. Other sizes and colours available on request. We offer a cutting service if required.



MODEL NO	DIAMETER	UNIT SIZE	LENGTH	WEIGHT/ROLL	COLOR
DH-PC-4	4MM	25x18MM	50Meter/Roll	2.0Kg	Red/White
DH-PC-6	6MM	41x21MM	50Meter/Roll	3.1Kg	Red/White
DH-PC-8	8MM	50x28MM	50Meter/Roll	5.5Kg	Red/White
DH-PC-10	10MM	54x39MM	25Meter/Roll	5.2Kg	Red/White

Cone Topper LED Light




Solar Cone Light provide additional visibility to the driver, It include an internal solar panel on the top of the light, a cover to the top of the base containing various electrical components, and a light source mounted atop the cover within a diffusion lens to broaden the light source beam.




MODEL NO	HEIGHT	WIDTH	WEIGHT	LIGHT SOURCE	DRIVEMODE	APPLICATION
DH-TC-SL-2	180MM	100MM	0.5Kg	6 LED	Solar	4cm Topper Hole of Cone
DH-TC-SL-3	20MM	80MM	0.2Kg	4 LED	Solar	4cm Topper Hole of Cone
DH-BL-10	250MM	150MM	0.8Kg	4 LED	4R25 Battery	HDPE Cone Topper

LED Barricade Light



MODEL NO	MATERIALS	TOTAL HEIGHT	LIGHT AREA SIZE	BATTERY	LED QTY	FUNCTION	WORKING HOURS	VISUAL DISTANCE	APPLICATION
DH-HBBL-2	PP+PC	250MM	180MM	TWO D Battery	2	Flash Steady	600 Hours	800M	Water Filled Barrier
DH-HBBL-3	PP+PC	330MM	180MM	FOUR D Battery	2	Flash Steady	100 Hours	800M	Safety Drum
DH-HBBL-4	PP+PC	260MM	180MM	TWO 6V 4R25 Battery	2	Flash Steady	100 Hours	800M	Fence Barrier
DH-HBBL-5	PP+PC	310MM	180MM	One 6V 4R25 Battery	2	Flash Steady	50 Hours	800M	Delineator Panel

Caution Tape Danger Tape Stripe Tape




- Caution Tape are a quick & effective way to create a visual fortress around temporary hazards.
- This lightweight tape can be tied, stapled or nailed to posts, fences or barricades.
- Ideal for outdoor or indoor application such as crowd and traffic control.
- Available in 50mm, 75mm and 100mm Width Each Roll.

Permanent Marking Tape



Available in 6 Colors



Fix onto Ground Easily by Self-Adhesive



Glass Bead Embed

Permanent marking tape are embedded micro glass beads both on surface, has a durable, reflective & skidproof effect. Designed to stripe asphalt parking lots, roads, bike paths and any other area where the road will subject to heavy traffic flow and high visibility delineation is needed.

Anti-Skid Tape



A quick, easy and inexpensive way to mark aisles and physical hazards. This highly visible, pressure-sensitive vinyl tape is self-wound with a permanent adhesive, and is protected with an abrasion resistant clear laminate that resists oil, dirt and chemicals.




Wall / Guardrail Reflector

- UV RESISTANT
- WEATHER RESISTANT
- COLD RESISTANT
- HDPE PLASTIC



The Wall / Guardrail Reflector is made of Flexible TPU, assembled with 3M reflector. Highly impact resistance with no harmful to vehicles and product. Excellent visibility at night or dark area. Mainly being used in roadside, barriers and walls, to improve traffic safety.

Model No	Height	Width	Reflector Size	Materials	Reflex
DH-FGR-1	120MM	70MM	100x65MM	TPU	3M HIP
DH-FGR-2	135MM	90MM	100x76MM	TPU	3M HIP
DH-FGR-3	150MM	100MM	80MM Dia	TPU	3M HIP
DH-FGR-4	56 MM	200MM	150x50MM	PP	3M HIP



3M Flexible Tape with 5 Years Service-Life
Wide angle reflection
Impacting Resistance



Traffic Batton




When it comes to night time road work, one of the most straight forward means to avoid accidents involving traffic, is to have traffic control specialists. There should always be someone from your crew that establishes a safe traffic pattern around your work site, and then implements a system for traffic to pass through uninhibited. At night however, stop and slow paddles may be hard to see. This is why for low light conditions you should consider utilizing illuminated traffic safety battons. These traffic battons are ideal because they can easily be seen by passing motorists. They can also be seen from a greater distance, so motorists will start slowing down earlier.

- Rechargeable
- Magnet
- Whistle
- Top Light
- Sling
- Iron Buckle

MODEL NO	MATERIALS	LENGTH	DIAMETER	DRIVE MODEL	LED QTY	FLASH	STEADY	TOP LIGHT	WHISTLE	MAGNET	RECHARGEABLE	EXPANDABLE	UNBREAKABLE	SLING	IRON BUCKLE
DH-LTB-33-50AA	PC	330/500MM	30MM	AAA Battery	7	✓	✓	✓	✓	✓		✓	✓	✓	✓
DH-LTB-233R	ABS+PP	365MM	40MM	AA Battery	5	✓	✓	✓		✓				✓	✓
DH-LTB-250R	ABS+AS	280MM	30MM	AAA Battery	10	✓	✓	✓		✓					
DH-LTB-260R	ABS+PC	260MM	40MM	AA Battery	19	✓	✓	✓		✓			✓	✓	✓
DH-LTB-260R-AA	ABS+PC	300MM	40MM	AA Battery	19	✓	✓	✓	✓	✓			✓	✓	✓
DH-LTB-273	ABS+PC	270MM	30MM	AA Battery	11	✓	✓	✓		✓			✓	✓	✓
DH-LTB-293	ABS+PC	290MM	30MM	AA Battery	6	✓	✓	✓	✓	✓	✓		✓		
DH-LTB-395	PC	400MM	40MM	AA Battery	15	✓	✓	✓	✓				✓		
DH-LTB-700	ABS+PVC	520MM	30MM	C Battery	6	✓	✓								
DH-LTB-700R-1	ABS+PVC	520MM	30MM	C Battery	7	✓	✓	✓						✓	✓
DH-LTB-700R-AA	ABS+PVC	555MM	30MM	C Battery	6	✓	✓		✓					✓	✓
DH-LTB-900	ABS+PVC	540MM	40MM	D Battery	6	✓	✓							✓	✓
DH-LTB-M9002R-AA	ABS+PVC	540MM	40MM	AA Battery	7	✓	✓	✓	✓	✓				✓	✓
DH-LTB-M9002R-AA-RE	ABS+PVC	540MM	40MM	AA Battery	7	✓	✓	✓	✓	✓	✓			✓	✓

Low Profile Threshold Ramp



3 channels for running cables, wires, and hoses underneath



Anti-Slip Pattern


Provides a transition to elevated surfaces up to 2-1/2"
Textured surface for traction
Works great for pedestrian traffic, wheelchairs, power chairs, and scooters

Rubber threshold ramps help you move through entryways by eliminating bumps to go over. To provide a smooth and secure transition, position the rubber threshold ramp against the door threshold.

Rubber threshold ramps for wheelchairs and scooters make the transition from inside to outside simple and they can be used on any type of surface.

MODEL NO	LENGTH	WIDTH	HEIGHT	WEIGHT	COLOR
DH-UP-8	1070MM	609MM	63.5MM	16kg	Black
DH-UP-8B			76.2MM	22kg	
DH-UP-8C			101.6MM	26kg	

Extensible Threshold Ramp



Highly durable non-slip surface




The ramp's beveled sides allow you to approach thresholds at any angle providing you with a safe and smooth transition each time

Easily wheel over thresholds with an EZ Edge threshold ramp. The ramp's beveled sides allow you to approach thresholds at any angle providing you with a safe and smooth transition each time. Versatile rubber design quickly adjusts to accommodate the height of the step or door jamb involved - ideal for wheelchair access to homes or businesses.

MODEL NO	LENGTH	WIDTH	HEIGHT	WEIGHT	COLOR
DH-LTR-1	1000MM	300MM	30MM	5.5kg	Black
DH-LTR-2		400MM	40MM	8.5kg	
DH-LTR-3		500MM	50MM	12.5kg	
DH-LTR-4		600MM	60MM	23.3kg	
DH-LTR-5		700MM	70MM	29.8kg	




Ground Level Container Access Ramps



Bone Connector for Each Part



Anti-Slip Pattern Design




Assemble by 8 Piece

- Made of Recycle Tire Rubber with yellow reflector to increase visibility at night.
- Designed to allow access into standard shipping containers that are located at ground level.
- Typically supplied in Max 10,000Kg capacities to suit your operations, though others are available on request.
- Movement by One-Person allows quick and easy assembly to be 220CM Width.
- Reduced 90% noise when fork truck driver into and out of container.

MODEL NO	WIDTH	LENGTH	CONTAINER HEIGHT	LOADING WEIGHT	TOTAL WEIGHT
DH-CUP-1	2200MM	1250MM	160MM	10,000kg	120kg

Plastic Threshold Ramps



Customer logo allowed



Anti-slip pad at the back side

New-developed HDPE assembled blow mold threshold ramp can be used indoors and outdoors in a variety of locations, whether it is in your home, the office or the garden.

Uses in home may include:

- At front and back entrance doors
- Garage to kitchen
- Kitchen to living room
- Walk-in showers



Available in different Color




Anti-Slip Pattern Design



Enter-lock design

Cable Protector Wheelchair Ramp



Made Up of 2 Piece, Connector by Additional Connector



Anti-Slip Pattern







Light Weight - Only 5Kg per piece

Connect the wheelchair ramps to our Existing cable protectors to provide a gradual slope and slip-resistant surface to ensure a safe crossing. The max width is 75CM and Max Loacking Weight is 200Kg.

Model No	Height	Length	Width	Weight	Weight Capacity
DH-PCP-ADA-2	7CM	68CM	90CM	5Kg	200KG

5-Channel ADA Ramp



The Rubber Ramp provides a transition between elevated surfaces with up to a 2" rise. Features a textured surface for traction and works great with wheelchairs, power chairs, scooters, and pedestrian traffic. Includes 5 channels to run wires, cables, and hoses beneath the ramp.

Features:

- (1) Provides a transition to elevated surfaces up to 2 inches;
- (2) Works great for pedestrian traffic, wheelchairs, power chairs, and scooters;
- (3) 5 channels for running cables, wires, and hoses underneath;
- (4) Skid resistant surface;
- (5) Designed for high traffic volume.


Model	Length	Width	Height	Weight
BS-ADA-Ramp-1	900MM	500MM	5MM	10KG




Tactile Paving Tile




DH-TPT-3



DH-TPT-4




DH-TPT-5



DH-TPT-6

The tactile paving bricks widely used in municipal roads, subways, highway stations, bus station, etc. It can help blind people walking more freely and confidently.

MODEL NO	LENGTH	WIDTH	THICKNESS	MATERIAL
DH-TPT-3	305MM	305MM	9.5MM	ABS
DH-TPT-4	305MM	305MM	9.5MM	ABS
DH-TPT-5	305MM	305MM	7.5MM	Stainless Steel + PVC
DH-TPT-6	305MM	305MM	7.5MM	Stainless Steel + PVC



Can be fixed by bolt




Can be printed brand name

Flexible Wall Protector



Flexible material, ideal for applying both on flat wall, corner or pillar area.



E shape design reducing impact.

The wall guards are compression moulded with durable rubber material. With their high strength and excellent flexibility, they are available offer heavy duty protection against severe impact such for lifts, vehicles and trolleys. That makes them to be an efficient and safety way for protection of the walls, corners, pillars in parking basement, warehouse, building areas etc...



With 14 fastener holes supporting the heavy duty part strongly fixed on the wall.



Ribs at back side reinforced strength of the wall guard

MODEL NO	TYPE	LENGTH	WIDTH	THICKNESS	WEIGHT	COLOR
DH-EWP-2	ESHAP	200CM	20CM	3CM	10.3KG	Black
DH-EWP-3	ESHAP	200CM	20CM	5CM	12KG	Black

Column Protector



- Column Protector is fastened directly to the column wall by screws.
- The Yellow Stripes would not be fallen off/fade in any conditions.
- Manufactured 5000MM standard length, when end user can cut short according to actual Column Diameter;
- Provide superior impact resistance with a cost-effective rubber roll.

MODEL NO	WIDTH	THICKNESS	STANDARD LENGTH	YELLOW STRIPES WIDTH	WEIGHT
DH-CCG-1	200MM	30MM	5000MM	20MM x 3 Stripes	10Kg

Foldable Parking Bollard



Round

Square


Our simple to install and easy to use manual folding car park bollard allows you to secure and protect your parking space or other secured area. Reflective stripes ensure excellent visibility both day and night for this manual parking bollard.

MODEL NO	HEIGHT	TUBE SIZE	BASE WIDTH	BASE HEIGHT
DH-PB-I-S7Xh70	650MM	Square 60MM	175MM	90MM
DH-PB-I-R7Xh70	650MM	Round 60MM	175MM	90MM





Bike Parking Rack



L-Shaped Adaptor For increasing Durability



Inner Tread Rivet for more Durability and Beautiful



Rack and Frame packed separately for saving Space

Our floor mounted bike stand allows 3 different bikes to be secured at the same time without any contact between bikes due to the staggered hoop levels. You can bolt it to the ground and can combine multiple racks to create one large bike rack chain.


- Multiple racks can be connected together to form larger parking bays.
- Different models with different hoop heights to meet your needs.
- Suitable for any bikes with tire width less than 100mm.

MODEL NO	SHAPE	LENGTH	WIDTH	HEIGHT	RACK TUBE	FRAME TUBE
BS-NBR-F-1	Round	1200MM	400MM	250MM	Φ16x2MM	30MM
BS-NBR-F-2	Square	1200MM	430MM	320MM	Φ16x2MM	30MM
BS-NBR-F-3	Trapezoid	1200MM	400MM	240MM	Φ16x2MM	30MM

Height Clearance



Can be printed Other Words If needed



Extensible Length



6MM Steel Chain



Wall Mounted Lock

Make sure tall vehicles know your clearance before it's too late. The Clearance Bars are the best maintenance-free, cost-effective choice for optimal clearance signage. Our Clearance Bars are easy to read, highly visible, and are made of HDPE plastic which makes sure that you never have to paint again!

MODEL NO	FRAME WIDTH	WARNING TAPE WIDTH	LENGTH	STEEL CHAIN HEIGHT
DH-HC-1	100MM	50MM	1 - 3 Meter	600MM

No Parking Cone & Sign

Ensure reserved parking spots remain reserved. Place a No Parking Cone Collar on your traffic cone to help save parking spots.



- HDPE Square Cone with Printing obviously at 4 sides.



- PVC Cone with Printed Collar Easy replacement;
- Reflective At Night;



- HDPE Cone with Prineted Sheet Reflective At Night;



- PVC Cone with Printing Last Longest;
- No Fading or Peeling off;

Temporary No Parking Sign

For Traffic Cone and Bollard

- 20CM Round and Square A3 Size Sign for options;
- Made of Durable HDPE materials for any weather;
- Bollard adaptors for 65MM, 80MM and 100MM;
- Can be fixed onto Cone & Bollard permanently by Screws;
- Easy replacement by rotation of the threaded core;



- Cone Topper A3 Size Sign Made of HDPE Plastic;
- For Fixing on to 4CM Open Topper Cone.

Preformed Ground Marking

Easy to use Preformed Ground Marking on your parking lot without tools.



Now we provide below marking at 18Inch / 45Cm Width.

Moreover, the 4Inch, 6Inch and 8Inch Rolls could be provided for your options.



Easy to fixing onto Ground By adhesive.



- Quick and easy application with adhesive;
- high durability in all climatic conditions;
- 30% premixed glass beads in approx. 2,5 mm thick material layer for high retroreflection during the life time;
- special Drop-On-Material* on the surface for higher retroreflection and skid resistance;
- no special equipment required;
- highly resistant to snow, ice, salt and oil, suitable for all road surfaces and traffic conditions;

M&E SUPPLIES

For the full range
of products please
scan the QR Code




www.mesupplies.com

+353 (0)1 6283888 | Tiernach 0863212915 | Robert 0863760011 | Niall 0861234074

sales@mesupplies.com

We are here - - - - -



Health & Safety Signs



Road Signs



Construction
Site Supplies



Traffic Management &
Road Safety Equipment



First Aid Supplies



P.P.E.



Drain Equipment



Road Sweeping Brushes